

## **Sample Results Summary Sheet**

**Please return this form to the Curator for each allocated Sample**

**Sample ID:** RA-QD02-0010

**PI:** Tomoki Nakamura

**Type and date of analysis performed:**

XRD Jan/28/2011~ Feb/3/2011

FE-SEM, FE-EPMA Feb/19/2011~ Feb/28/2011

**Elements or phases identified:** (Mg, Si, olivine, pyroxene, aromatic carbon, etc.)

XRD : OI, PI, HPx

FE-SEM : OI, PI, HPx, LPx, Tr, Tae

FE-EPMA : Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K, Cr, Ni, P, S

**Contaminant phases identified:** (Al, SUS, carbon particles, etc.)

N/A

**Sample handling:**

XRD

Attached to carbon fiber with resin.

FE-SEM, FE-EPMA

Exposed in atmosphere.

Polished by M cross

C-coated (20 nm)

**State of sample pre-analysis:**

Attached to carbon fiber with resin. (XRD)

Polished section with resin embedded (FE-SEM, FE-EPMA)

**State of sample post-analysis:**

Attached to carbon fiber with resin. (XRD)

Polished section with resin embedded, C-coated (FE-SEM, FE-EPMA)

N<sub>2</sub> hold in sample holder.


**Analysis data Notes:** (summary of the attached analysis data and/or images)

See attached sheets.

# RA-QD02-0010

Analysis S-XRD (polish) FE-SEM FE-EPMA  
Present status Putted butt with some SIMS spots


FE-SEM/BSE



S-XRD

## Itokawa RA-QD02-0010

O: olivine  
HPx: high-Ca pyroxene  
PI: plagioclase



FE-EPMA

wt%	Olivine n=1:OI 1 sigma	LPx n=5 .Px 1 sigm:	HPx n=5 +Px 1 sigm:	Plagio n=8 PI 1 sigma
SiO <sub>2</sub>	37.41	0.28	53.55	0.88
TiO <sub>2</sub>	0.03	0.02	0.18	0.03
Al <sub>2</sub> O <sub>3</sub>	0.00	0.00	0.16	0.03
FeO	26.49	0.39	15.78	0.32
MnO	0.47	0.06	0.47	0.05
MgO	36.10	0.33	27.59	0.24
CaO	0.00	0.00	0.66	0.06
Na <sub>2</sub> O	0.02	0.02	0.01	0.01
K <sub>2</sub> O	0.01	0.01	0.00	0.01
Cr <sub>2</sub> O <sub>3</sub>	0.02	0.02	0.11	0.02
NiO	0.01	0.02	0.01	0.01
P <sub>2</sub> O <sub>5</sub>	0.04	0.03	0.01	0.02
SO <sub>3</sub>	0.02	0.02	0.02	0.03
Total	100.60	0.72	98.54	1.24
SUM				

Comment

Olivine (Fa#)	29.16	0.31	
LPx(Fs#)		23.97	0.36
LPx(Wo#)		1.29	0.13
LPx(En#)		74.73	0.41
HPx(Fs#)		9.66	0.06
HPx(Wo#)		43.79	0.30
HPx(En#)		46.56	0.34
PI(Or#)		5.38	0.72
PI(An#)		11.41	0.55
PI(Ab#)		83.20	1.03