

## **Sample Results Summary Sheet**

**Please return this form to the Curator for each allocated Sample**

**Sample ID:** RA-QD02-0011-1

**PI:** Tomoki Nakamura

**Type and date of analysis performed:**

XRD	Jan/28/2011~ Feb/3/2011
FE-SEM, FE-EPMA	Feb/19/2011~ Feb/28/2011

**Elements or phases identified:** (Mg, Si, olivine, pyroxene, aromatic carbon, etc.)

XRD : OI, HPx, PI, Tr  
FE-SEM : OI, HPx, Tr, (Al-rich glass)  
FE-EPMA : Si, Ti, Al, Fe, Mn, Mg, Ca, Na, K, Cr, P

**Contaminant phases identified:** (Al, SUS, carbon particles, etc.)

N/A

**Sample handling:**

XRD  
Attached to carbon fiber with resin.  
  
FE-SEM, FE-EPMA  
Exposed in atmosphere.  
Polished by M cross  
C-coated (20 nm)

**State of sample pre-analysis:**

Attached to carbon fiber with resin. (XRD)  
Polished section with resin embedded (FE-SEM, FE-EPMA)

**State of sample post-analysis:**


Attached to carbon fiber with resin. (XRD)  
Polished section with resin embedded, C-coated (FE-SEM, FE-EPMA)  
N<sub>2</sub> hold in sample holder.

**Analysis data Notes:** (summary of the attached analysis data and/or images)

See attached sheets.

# RA-QD02-0011-1

Analysis S-XRD (polish) FE-SEM FE-EPMA  
Present status Putted butt with some SIMS spots



S-XRD


## Itokawa RA-QD02-0011-1

O: olivine

HPx: high-Ca pyroxene

Pl: plagioclase

Tr: troilite



### FE-EPMA

	wt%	Olivine n=1 OI 1 sigma	LPx n=0 LPx 1 sigma	HPx n=4 HPx 1 sigma	Plagio n=0 Pl 1 sigma
SiO <sub>2</sub>	38.15	0.72		53.30	0.34
TiO <sub>2</sub>	0.04	0.04		0.29	0.09
Al <sub>2</sub> O <sub>3</sub>	0.09	0.17		0.88	0.40
FeO	24.50	0.28		4.76	0.50
MnO	0.45	0.06		0.23	0.05
MgO	36.82	0.51		16.01	0.20
CaO	0.04	0.05		20.75	1.55
Na <sub>2</sub> O	0.05	0.10		0.87	0.18
K <sub>2</sub> O	0.01	0.01		0.02	0.02
Cr <sub>2</sub> O <sub>3</sub>	0.01	0.01		1.30	0.32
NiO	0.02	0.04		0.01	0.02
P <sub>2</sub> O <sub>5</sub>	0.06	0.07		0.10	0.14
S <sub>2</sub> O <sub>3</sub>	0.01	0.03		0.04	0.05
Total	100.26	0.89		98.56	0.31
SUM					

### Comment

Olivine (Fa#)	27.18	0.47
LPx(Fs#)		
LPx(Wo#)		
LPx(En#)		
HPx(Fs#)	7.97	1.01
HPx(Wo#)	44.35	2.42
HPx(En#)	47.68	1.44
Pl(O#)		4.88 1.20
Pl(An#)		10.08 1.65
Pl(Ab#)		85.04 1.50