

Sample Results Summary Sheet

Please return this form to the Curator for each allocated Sample

Sample ID: RA-QD02-0011-2

PI: Akira Tsuchiyama

Type and date of analysis performed:

Tomography Jan/22/2011 (7 keV)

Jan/24/2011 (8 keV)

Elements or phases identified: (Mg, Si, olivine, pyroxene, aromatic carbon, etc.)

Mode	OI	LPx	HPx	PI	Tr	Tae	Chm	CP	Kam
Vol %	89.3	-	2.63	7.05	0.81	0.21	-	-	-

Contaminant phases identified: (Al, SUS, carbon particles, etc.)

N/A

Sample handling:

Exposed in atmosphere.

State of sample pre-analysis:

Attached to carbon fiber with resin.

State of sample post-analysis:

N₂ hold in sample holder.

Analysis data Notes: (summary of the attached analysis data and/or images)

See attached sheets.

RA-QD02-0011-2

Operation Date Jan/22/2011 (7 keV)
 Jan/24/2011 (8 keV)
operated by T. Matsumoto (7 keV)
 T. Matsumoto (8 keV)
analyzed by T. Matsumoto

Mode	Ol	LPx	HPx	Pl	Tr	Tae	Chm	CP	Kam
Vol %	89.3	-	2.63	7.05	0.81	0.21	-	-	-

A (μm)	B (μm)	C (μm)	V (μm^3)	Porosity (%)
20.5	31.2	40.2	94409	0.3226

Ol: olivine

LPx: low calcium pyroxene

HPx: high calcium pyroxene

Pl: plagioclase

Tr: troilite

Tae: taenite

Chm: chromite

CP: calcium phosphate

Kam: kamacite




A, B, and C: shortest, middle, and longest axial radii, respectively,
of a best-fit ellipsoid for the particle

V: particle volume without pore

dz: CT image interval




LAC: linear attenuation coefficient of X-ray

RA-QD02-0011-2 7 keV




7keV/xz/248.tif

RA-QD02-0011-2 8 keV



7keV/xz/248.tif

RA-QD02-0011-2 7 keV catalogue




$dZ = 3.76948 \text{ } \mu\text{m}$

20 μm

575 cm^{-1} (LAC)

RA-QD02-0011-2 8 keV catalogue



RA-QD02-0011-2 Dual energy histogram

