

「GINGA」 Daily Report



198 7 MONTH : 4 DAY : 15 Y+ 68

Written by :

Ver 1.5

OPERATION: BG(GX3+1(+7.0°)) → GX3+1(MPC3) → BG(GX3+1(+4.5°))

山下 紀伊

		[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NO.		870414-1237	870414-1341	870414-1444	870414-1548	870415-0103
AOS LOS		18:27:07 18:39:58	20:10:11 20:22:28	21:51:23 22:04:56	23:33:56 23:47:20	01:16:44 01:28:26
ELMX		29.07 33:28	74.65 15:21	87.00 57:35	48.06 39:45	16.80 21:34
C O M M A N D S		SHREP LHVRED ACS STRT STX OF STX MAN STSTBY BC(3) 014541 024000 OPELON STX OF STX CPU BC(3) 020001 OG-1	ACSEND LCEION LCEZON AMCOF BCC1) 050000 7FO0FA PC CLR CHK WRT CHK CHK (error) STRT BDR REC (cancel)	OG-2 OPCL OF SLEW(-) BC(0)C800 BC(0)0182 OG-1 PC CLR CHK WRT CHK STRT BDR REC	BDR STOP SHREP (53.26) PC CLR CHK WRT CHK STRT BDR REC	OG-1 BDR STOP SHREP (18.14) BC(0)0102 PC CLR CHK WRT CHK STRT BIT MED * PC WRT: 5m17s 40.0s これ以上の PC PLAN は不可
	MODE	LAC ACS	LAC	LAC	LAC	LAC
	TLMS	SH REP (29.34)	Ranging	SH REP	SH REP	SH REP
	ACS	STX OPCL	SLEW(-) 70/0.5分		SLEW PARA set	SLEW(-) 4'50/4.75
	LAC	MPC-1 RED ON	MPC-1 → MPC-3	MPC-3	MPC-3	MPC-3 → MPC-1
		BG(GX3+1(+7.0°))	BG → GX3+1	"		GX3+1 → BG(43)
	ASM	HV ON RED	HV RED-ON	HV ON	HV ON RED ON	HV ON RED
	GBD	EXT 1 NBST				
E V E N T		CMD項目が"多く、 PC CHKで"error" が"で"エラーのPC STRTで"す" LHVON, BITHi TMS Hi, ANTA BDR STOPで"閉鎖"	Pass 1で 実行予定の SLEW(-) を中止した。 STT-Yの"st" とcal→stbyは 33sのOPCL OF			PC STRT 34秒遅れ
	ST	:	20:19:00	22:01:00	23:43:00	01:24:34
P C P L A N		PC STRTで"す" Planはcancel * OpCL ONで"す"に にOpCL OFFで"す"に ST-YのSTATUSが "す"に	1 TMS ON 10 OG-6 11 ASMON 28 BITMED 29 STMAP 30 BDR REC 35 OG-5 36 BITHi 43 OG-2 44 TMS Hi	1 TMS ON 9 OG-6 10 ASMON 34 OG-5 43 OG-2 44 TMS Hi 45 PC STOP	1 TMS ON 2 BITMED 4 ASMON 5 OG-6 23 STMAP 24 BDR REC 31 BITHi 32 OG-5 43 OG-2 44 TMS Hi	1 BDR REC 2 TMS ON 5 BIT LOW 6 OG-4 30 OG-5 31 BITMED 52 BIT LOW 53 OG-4 67 OG-5 68 BITMED 96 SLEW(+) 101 BIT LOW 102 OG-4 117 OG-5 127 OG-4 188 215 237 264 201 225 249 276 287 313 296 324 361 BITMED 362 OG-7 373 OG-4 374 BIT LOW
	C O M M E N T	BRST (EXT 1, 4/14, 14, 15, 415 False) Pass 1の PC CHK Error 書き込んだ項目に error が 生じたのではなく、照合で生じたことによる。 Pass 1, 再び Opt. cal. (STT-X) 状況変らす。 昨日昼、富士直の2人教養。今日の受信に立ちあがったが、今日の受信調子良く PH-7が取得できた。世話する人が77の1と気分が良く10の機械らしい。 GX3+1は57の timescale の変動と持つ。変動率は低いと見えては低い傾向は。				393 BDR STOP 410 OG-5 422 OG-6 423 ASMAN 458 OG-5 463 OG-2 464 OG-3
SANGLE		152.7-152.6-152.5-152.4-152.4	MIN. -BAT-V(EOO) 19.1(19.1)V.			