

「銀河」運用記録 "GINGA" Daily Report

198 7 MONTH : 11 DAY : 11 Y+ 279

Written by :

Ver 1.6
Hatsukade I
Shimoda K
Ushimaru K

OPERATION: A2218 BGD

	[PASS 1]		[PASS 2]		[PASS 3]		[PASS 4]		[PASS 5]	
NO.	871111 - 0823		871111 - 0927		871111 - 1030		871111 - 1133		871111 - 1237	
ADS	11:23:51		13:04:52		14:47:26		16:29:02		18:11:58	
LOS	11:36:30		13:19:15		15:01:40		16:43:31		18:25:41	
ELMX	16.6 29:47		49.5 11:37		86.9 53:54		722 36:19		34.7 18:17	
C O M M A N D S	SH REP BC (MNV) BC ENA-1 05 B1 37 A5 01 28 BC EXE MNV START PC CLR/WRT/CHK PC START LHV RED		SH REP PC CLR/WRT/CHK PC START LHV RED		SH REP PC CLR/WRT/CHK OG-1 PC-START ST MAP		SH REP BC (MNV) BC ENA-1 05 F9 06 7F 00 0B BC EXE MNV STRT PC CLR/WRT/CHK OG-1 EXE PC STRT		SH REP PC CLR/WRT/CHK OG-1 PC-STAT	
	L	L A C S	L	L A C S	L A C S	L A C S	L	L A C S	L	L A C S M
	REP	REC	REP	REC	REP	REC	REP	REC	REP	REC
	N M			N M						
	MPC-1									
HV LAC ASM										
AGM										
GBD	EXIST						EXIST			
E V E N T	MNV TO A2218 BGD (8.31 85.72 110.55) → (9.08 77.57 105.11)				ST MAP 入力された。		MNV 72 (9.07 77.59 104.82) → (9.08 77.57 105.11)			
S T	11:32:59		13:15:59		14:58:01		16:41:01		18:22:01	
	0001 BDR REC 11:35 0002 BIT MED 11:37 0003 TMS ON 11:39 0012 OG-5 EXE 11:57 0019 OG-4 EXE 12:11 0036 OG-5 EXE 12:45 0045 OG-3 EXE 13:03		0001 BDR REC 13:18 0002 BIT MED 13:20 0003 TMS ON 13:22 0007 OG-5 EXE 13:30 0018 OG-4 EXE 13:52 0034 OG-5 EXE 14:24 0044 OG-3 EXE 14:44		0001 OG-5 EXE 15:00 0002 BIT MED 15:02 0003 TMS ON 15:04 0018 OG-4 EXE 15:34 0033 OG-5 EXE 16:04 0044 OG-2 EXE 16:20 0045 OG-3 EXE 16:28		0001 OG-5 EXE 16:43 0002 BIT MED 16:45 0003 TMS ON 16:47 0018 OG-4 EXE 17:17 0031 OG-5 EXE 17:43 0043 OG-2 EXE 18:07 0044 OG-3 EXE 18:09		0001 OG-5 EXE 18:24 0002 BIT LOW 18:26 0003 TMS ON 18:28 0018 LHV RED 18:58 0019 OG-4 EXE 19:00 0028 BIT LOW 19:18 0029 OG-5 EXE 19:20 0068 LHV RED 20:38 0069 OG-4 EXE 20:40 0077 HIT LOW 20:56 0078 OG-5 EXE 20:58 0280 OG-7 EXE 03:42 0281 SLEW 360 03:44 0292 BIT LOW 04:06 0293 OG-5 EXE 04:08 0344 LHV RED 05:50 0353 OG-5 EXE 06:08 0389 LHV RED 07:20 0397 OG-4 EXE 07:36 0404 BIT LOW 07:50 0405 OG-5 EXE 07:52 0438 LHV RED 08:58 0455 OG-5 EXE 09:32 0487 LHV RED 10:36	
P C P L A N										
C O M M E N T	● 運用指令では PASS4 は 871111-1134 になっていたが 871111-1133 にした。									
	● 本日の要解 14:36 4 → 18:23 (9.07 77.59 104.82) → (9.10 77.60 105.09)									
SANGLE 144.7 ~ 141.0 MIN.-BAT-V(EDD) 19.0 V. 不明										

(0.2% 出)