

「銀河」運用記録 "GINGA" Daily Report

Ver 1.6

198 7 MONTH : 11 DAY : 26 Y+ 294

Written by : Dotani

OPERATION: Pointing to SS Cyg & BGD Observation for 3CR454.3

Tsushima

	[PASS 1]		[PASS 2]		[PASS 3]		[PASS 4]		[PASS 5]	
NO.	871126-0310		871126-0413		871126-0516		871126-0620		871126-0723	
AOS	4:33:21		6:14:43		7:56:39		9:38:51		11:20:52	
LOS	4:44:06		6:26:36		8:08:56		9:51:19		11:33:00	
ELMX	15.38 38:26		49.62 20:03		89.67 02:08		68.15 44:10		26.58 26:02	
C O M M A N D S	SH REP		SH REP		SH REP		SH REP		SLEW H)	
	PC CLR/WRT/CHK		BC ENA-1		BC ENA-1		BC ENA-1		SH REP	
	PC STRT		05 3D FC 78 00 0F		0B FF AA		05 00 00 7F 04 C6		PC CLR/WRT/CHK	
			BC EXE		BC EXE		BC EXE		BC ENA-0	
M O D E	LAC	L A C P	LAC	L A C P	LAC	L A C P	LAC	L A C P	LAC	L A C P
	Rep	Rec	Rep	Rec	Rep	Rec	Rep	Rec	Rep	Rec
ACS	N R M		M N V						S M H)	
LAC	MPC 2								MPC 1	
HV LAC										
ASM										
GBD	Exist									
E V E N T			Attitude Trimming		BC for Drift Correction				SLEW & MNV for 3CR454.3 BGD	
ST	4:40:00		6:23:00		8:05:00		9:47:00		11:29:00	
P C P L A N	0001 06-5 EXE 04:42		0001 06-5 EXE 06:25		0001 06-5 EXE 08:07		0001 06-5 EXE 09:49		0001 06-5 EXE 11:31	
	0002 TMS ON 04:44		0002 TMS ON 06:27		0002 TMS ON 08:09		0002 TMS ON 09:51		0002 BIT LOW 11:33	
	0003 06-6 EXE 04:50		0016 06-6 EXE 06:55		0014 06-6 EXE 08:33		0011 06-6 EXE 10:09		0003 TMS ON 11:35	
	0011 06-5 EXE 05:02		0031 06-4 EXE 07:25		0029 06-4 EXE 09:03		0026 06-4 EXE 10:39		0020 LHV RED 12:09	
	0018 06-6 EXE 05:16		0036 06-5 EXE 07:35		0034 06-5 EXE 09:13		0032 06-5 EXE 10:51		0031 06-5 EXE 12:31	
	0025 06-4 EXE 05:30		0041 BIT HI 07:45		0039 BIT HI 09:23		0036 BIT HI 10:59		0071 LHV RED 13:51	
	0035 06-6 EXE 05:50		0045 06-1 EXE 07:53		0045 06-1 EXE 09:35		0045 06-1 EXE 11:17		0078 06-5 EXE 14:05	
	0036 BIT HI 05:52		0046 06-3 EXE 07:55		0046 06-3 EXE 09:37		0046 06-3 EXE 11:19		0171 BIT MED 17:11	
	0037 06-5 EXE 05:54								0208 BIT LOW 18:25	
	0046 06-3 EXE 06:12								0345 06-6 EXE 22:59	
C O M M E N T	上位ビットというのは、実は意外と楽なんです。持つ東大仕事がかせり、 始りと終りの時刻が1時間半早くなり、健康的な生活になりました。									
SANGLE	166.2	167.2	MIN.-BAT-V(EOB)		19.2		19.5		19.5	