

「銀河」運用記録 "GINGA" Daily Report

Ver 1.6

1987 MONTH : 12 DAY : 5 Y+ 304

Written by : Dotani
Tsushima

OPERATION: NGC 4151 / BGD

	[PASS 1]		[PASS 2]		[PASS 3]		[PASS 4]		[PASS 5]		
NO.	871205-0101		871205-0205		871205-0308		871205-0412		871205-0515		
AOS LOS	0:24:45 0:37:20		2:07:11 2:19:37		3:49:09 4:01:40		5:31:40 5:43:43		7:13:50 7:25:03		
ELMX	20.00 31:01		56.23 12:57		天頂:		62.55 37:10		21.21 19:00		
COMMANDS	SH REP LC E1 ON LC E2 ON BC ENA-1 0500007F02F9 BC EXE SLEW (H) ST MAP PC CLR/WRT/CHK PC STRT		OG-1 EXE PC CLR/WRT/CHK PC STRT		SH REP PC CLR/WRT/CHK PC STRT		SH REP PC CLR/WRT/CHK ST MAP PC STRT OG-2 EXE		SH REP BC ENA-1 0500007F02F9 BC EXE SLEW (H) ST MAP PC CLR/WRT/CHK PC STRT OG-2 EXE		
	MODE	LAC	LML AAPC	LAC	LML AAPC	LAC	LML AAPC	LML AAPC	LML AAPC	LML AAPC	
	TLMS	Rep	Rec		Rec	Rep	Rec	Rep	Rec	Rep	
	ACS	S (N)	N M							S (H)	N M
	LAC	MPC 1									
HV LAC ASM ABM GBU										→ →	
	Exist						Exist		Exist		
EVENT	SLEW to NGC 4151		Ranging						SLEW to BGD		
ST	0:33:00		2:16:00		3:57:59		5:40:00		7:20:59		
PLAN	0001 OG-5 EXE 00:35 0002 BIT MED 00:37 0003 TMS ON 00:39 0018 OG-4 EXE 01:09 0033 OG-6 EXE 01:39 0037 OG-5 EXE 01:47 0045 OG-2 EXE 02:03 0046 OG-3 EXE 02:05		0001 OG-5 EXE 02:18 0002 BIT MED 02:20 0003 TMS ON 02:22 0016 OG-4 EXE 02:48 0031 OG-6 EXE 03:18 0035 OG-5 EXE 03:26 0046 OG-3 EXE 03:48		0001 OG-5 EXE 04:00 0002 BIT MED 04:02 0003 TMS ON 04:04 0018 OG-4 EXE 04:34 0033 OG-5 EXE 05:04 0046 OG-3 EXE 05:30		0001 OG-5 EXE 05:42 0002 BIT MED 05:44 0003 TMS ON 05:46 0018 OG-4 EXE 06:16 0028 OG-6 EXE 06:36 0032 OG-5 EXE 06:44 0045 OG-1 EXE 07:10 0046 OG-3 EXE 07:12		0001 OG-4 EXE 07:23 0003 TMS ON 07:27 0011 OG-6 EXE 07:43 0030 BIT LOW 09:57 0079 OG-5 EXE 09:59 0338 OG-6 EXE 18:37 0353 OG-5 EXE 19:11 0386 OG-6 EXE 20:13 0404 OG-5 EXE 20:49 0434 OG-6 EXE 21:49 0704 OG-5 EXE 06:49 0723 OG-6 EXE 07:27 0754 OG-5 EXE 08:29 1013 OG-4 EXE 17:07 1022 OG-1 EXE 17:25 1023 OG-3 EXE 17:27		
COMMENT	・来週はレンジソグありません。LP用紙が残りわずかになり、そのうちを配して下すようお願いたします。 ・今日はトバーストがたくさんありました。 ・トラファル系統の2週間でした。 ・トバースト目利はマフがとれていました。										
SANGLE	130.8		164.1		MIN.-BAT-V(EOD)		A 19.2 V 19.4 D 19.2 V 19.4				