

「銀河」運用記録 "GINGA" Daily Report

198 8 MONTH : 6 DAY : 6 Y+ 488

Written by :

Ver 1.6

OPERATION: VIRGO CLUSTER SCAN堂谷 且丸
甘田

	[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NO.	880606-0514	880606-0617	880606-0721	880606-0824	880606-0928
AOS	6:43:18	8:24:35	10:06:47	11:49:18	13:31:24
LOS	6:54:47	8:37:31	10:19:35	12:01:46	13:44:18
ELMX	49:06:14.68	50:48:44.35	19:05:26.8	54:52:75.03	36:40:29.08
COMMANDS	BC(0500007F0183) SLEW(-) ST TRK LC E1 ON LC E2 ON BC(05CF83070000C) MNV PC CLR/WRT/CHK OG-2 BC(050000060EC3) PC-START	PC CLR/WRT/CHK OG-2 PC-START	PC CLR/WRT/CHK OG-2 PC-START	BC ENA-4 BT ID AB BC EXE BC(0553824E000F) MNV START PC CLR/WRT/CHK BC(050000000EC3) PC START OPR REC BIT MED	BC(0500007F0012) SLEW(-) BC(0510BC110004) MNV START PC CLR/WRT/CHK BC(0500000418C0) PC START
MODE	A S E L A S	L L A S	L L A S	L L A S	L L A S
TLMS	REP	REP	REP	REP	REP
ACS	S L N V (-)(-)(-)(-)	S L N V (-)(-)(-)(-)	S L N V (-)(-)(-)(-)	S L N V (-)(-)(-)(-)	S L N V (-)(-)(-)(-)
LAC	MPC-1				
HV LAC ASM GBD	ON ON EXIST				
EVEN T	6/ 0:21 (276.36) (92.66) (180.22)		4/6 9:21 (276.13) (92.82) (169.31)	6/6 11:11 (276.04) (92.77) (169.29)	
ST	06:50:59	08:34:01	10:16:01	11:58:00	13:40:01
PC PLAN	OG-5 EXE 06:53:00 BIT MED 06:55:00 TMS ON 06:57:00 SLEW (-) 07:09:00 SLEW (+) 07:19:00 UG-4 EXE 07:29:00 OG-5 EXE 08:03:00 SLEW (-) 08:05:00 SLEW (+) 08:15:00 OG-1 EXE 08:21:00 OG-3 EXE 08:23:00	OG-5 EXE 08:36:00 BIT MED 08:38:00 TMS ON 08:40:00 SLEW (-) 08:46:00 SLEW (+) 08:56:00 OG-4 EXE 09:06:00 OG-5 EXE 09:44:00 SLEW (-) 09:46:00 SLEW (+) 09:56:00 OG-1 EXE 10:04:00 OG-3 EXE 10:06:00	OG-5 EXE 10:18:00 BIT MED 10:20:00 TMS ON 10:22:00 SLEW (-) 10:24:00 SLEW (+) 10:34:00 OG-4 EXE 10:44:00 OG-5 EXE 11:22:00 SLEW (-) 11:28:00 SLEW (+) 11:38:00 OG-1 EXE 11:46:00 OG-3 EXE 11:48:00	SLEW (-) 12:00:00 OG-5 EXE 12:02:00 BIT MED 12:04:00 TMS ON 12:06:00 SLEW (+) 12:10:00 OG-4 EXE 12:20:00 OG-5 EXE 13:02:00 SLEW (-) 13:10:00 SLEW (+) 13:20:00 OG-1 EXE 13:28:00 OG-3 EXE 13:30:00	BIT LOW 13:42:00 OG-5 EXE 13:44:00 TMS ON 13:46:00 LHV RED 14:18:00 OG-5 EXE 14:40:00 UG-4 EXE 16:00:00 BIT LOW 16:18:00 OG-5 EXE 16:20:00 SLEW (+) 16:22:00 SLEW (-) 16:38:00 SLEW (+) 16:54:00 SLEW (-) 17:58:00 SLEW (+) 18:14:00 SLEW (-) 18:30:00 SLEW (+) 19:52:00 SLEW (-) 20:08:00 SLEW (+) 21:32:00 SLEW (-) 21:46:00 SLEW (+) 22:36:00 SLEW (-) 23:16:00 SLEW (+) 00:16:00 SLEW (-) 00:54:00
COMMENT	・2Rev目 プリンター-不調のため U1500T がたまたまがらなかった。プリンター-用紙をまちがえたために 印字されなかったようです。 ・ようやく寝るまで 食べまで テレビの見ずみから解放された。 ・又来りました。/ 高のさん。できるだけ単純な運用を送って下さい。/ 中には フヤに入らなというのに。か、れ、しに上気です。				
SANGLE	149.5 - 151.3	MIN.-BAT-V(EDD) 4 A = V. 18.9			