

「銀河」運用記録 “GINGA” Daily Report

Ver 1.71

198 MONTH : DAY : Y+

Written by : K. Koyama
J. Takashima

OPERATION: Galactic plane (pulsar search)

OPERATION: Galactic plane (pulsar maximum)											
		[PASS 1]		[PASS 2]		[PASS 3]		[PASS 4]		[PASS 5]	
NO.		890414-1546		890415-0101							
AOS LOS		22:41:12 22:52:30		0:21:40 0:34:49		02:3:28 2:16:43		3:45:03 3:58:39		: :	
ELMX		12-8 46:35		43.57 27:44		85-6 9:18		78.25 50:0		:	
COMMANDS		ST MAP		GPE. Slow + Slow 360° hpc-2 mode		Dummy MAN. M7 神 C=150. T. Tsuru Taro		5117C 05 CA (X=-0.25) 83 (Y=-0.58) 49 (Z=0.74) 00 15		あ" H ア の "	
TLMS		Rep		L2=12"		DAP					
ACS		Norm		SI(+), S360		Norm					
EVENT		4/14 22:49 (192.35) (63.42) (240.43)				4/15 2:13 (192.12) (63.56) (330.16)				TMS ON 89/04/15 03:58 OG-4 EXE 89/04/15 04:22 OG-6 EXE 89/04/15 04:34 BIT LOW 89/04/15 04:36 OG-5 EXE 89/04/15 04:48 OG-6 EXE 89/04/15 05:04 OG-5 EXE 89/04/15 06:38 OG-6 EXE 89/04/15 06:38 OG-5 EXE 89/04/15 07:00 OG-6 EXE 89/04/15 07:04 OG-5 EXE 89/04/15 07:54 OG-6 EXE 89/04/15 08:14 OG-5 EXE 89/04/15 08:42 OG-6 EXE 89/04/15 08:42 OG-5 EXE 89/04/15 10:08 OG-4 EXE 89/04/15 17:04 BIT LOW 89/04/15 17:14 OG-5 EXE 89/04/15 17:16 SLEW (-) 89/04/15 17:40 OG-6 EXE 89/04/15 18:10 OG-5 EXE 89/04/15 19:10 SLEW (-) 89/04/15 19:12 OG-6 EXE 89/04/15 19:46 OG-5 EXE 89/04/15 20:46 SLEW (+) 89/04/15 20:48 OG-4 EXE 89/04/15 21:22 OG-5 EXE 89/04/15 22:20 OG-6 EXE 89/04/15 22:58 OG-5 EXE 89/04/16 00:02 OG-6 EXE 89/04/16 00:34 OG-5 EXE 89/04/16 01:40 OG-4 EXE 89/04/16 02:10 OG-5 EXE 89/04/16 03:18 OG-6 EXE 89/04/16 03:46 OG-5 EXE 89/04/16 04:58 OG-6 EXE 89/04/16 05:22 OG-5 EXE 89/04/16 06:36 OG-6 EXE 89/04/16 06:58 OG-4 EXE 89/04/16 07:30 OG-5 EXE 89/04/16 07:38 BIT LOW 89/04/16 07:40 OG-4 EXE 89/04/16 07:54 OG-5 EXE 89/04/16 08:10 OG-6 EXE 89/04/16 11:46 OG-4 EXE 89/04/16 12:28 BIT LOW 89/04/16 12:42 OG-5 EXE 89/04/16 12:44 SLEW (-) 89/04/16 12:42 OG-6 EXE 89/04/16 13:22 OG-1 EXE 89/04/16 13:24 BIT HI 89/04/16 13:26 PC STOP 89/04/16 13:28	
PC PLAN		22:49:00		0:30:00		2:12:00		3:54:		このPASSの運用 を少し遅くして PCを止める → (原簿で7:42と 時刻的にズレる) 可せん。	
COMMENT		最終 Rot に無理な運用はやめられた。 無理をして死んでデータをとったり、とデータでちゃんと解析して公表する 方が重要です。 K.K.									
SANGLE		142-6		STT-Y TEMP. (MAX) 4.6 °C		MIN. -BAT-V(EOO) A 18.7 B 18.8		V (A 18.5 B 18.5 V)			