


「銀河」運用記録 "GINGA" Daily Report

Ver 1.51

198 9 MONTH : 5 DAY : 22 Y+ 836Written by : S. MIZOBUCHI
M. NAKAGAWAOPERATION: 3 Lyra (SCANNING x 4, POINTING)

OPERATION: 3 Lyra (SCANNING x 4, POINTING)											
		[PASS 1]		[PASS 2]		[PASS 3]		[PASS 4]		[PASS 5]	
NO.				890522-0413		890522-0517		890522-0620		890522-0724	
AOS		:		06:28:30		08:09:43		09:51:13		11:33:05	
LOS		:		:41:25		:23:16		10:05:07		:46:26	
ELMX		:		52.23 34:19		天頂通過		70.38 57:36		28.97 39:05	
COMMANDS		あ け の		SH REP ST TRK LAC MODE LC EI E2 ON DUMMY MNV SLEW PARA 05-000004 18CD 0G-2 PC STRT		SH REP DUMMY MNV TRIM MNV 05-82AEE6 001F MNV STRT MNV STOP DUMMY MNV SLEW PARA 05-000004 18CD 0G-2 MNV STOP PC STRT		SH REP DUMMY MNV SLEW PARA 05-00007F 0064 SLEW(+) DUMMY MNV 0G-2 PC STRT		SH REP TRIM MNV 05-811364 0010 MNV STRT DUMMY MNV SLEW PARA 05-00007F 1882 UANT-B SANT-B RANG-B PC STRT	
TLMS				REP		REP		REP		REP	
ACS						TRIM MNV		SLEW(+)		TRIM MNV	
EVENT				AT 5/21 21:16 (239.52 139.39 52.75)				AT 09:24 (239.15 138.67 52.28)			
PC PLAN		毎日 あーと 		06:37:59 1 0G-5 06:40 2 BIT MED :42 3 SLEW(+) :44 4 TMS ON :46 10 SLEW(-) :58 18 0G-4 07:14 35 0G-5 :48 44 0G-1 08:06 45 0G-3 08:08		08:19:59 1 0G-5 08:22 2 BIT MED :24 3 SLEW(+) :26 4 TMS ON :28 10 SLEW(-) :40 19 0G-4 :58 34 0G-5 09:28 44 0G-1 :48 45 0G-3 09:50		10:01:01 1 0G-5 10:03 2 BIT MED :05 3 TMS ON :07 19 0G-4 :39 32 0G-5 11:05 44 0G-1 :29 45 0G-3 11:31		11 42:59 0001 0G-5 EXE 11:45 0002 BIT LOW 11:47 0003 TMS ON 11:49 0018 LHV RED 12:19 0019 ASM MODE 12:21 0031 0G-5 EXE 12:45 0059 0G-4 EXE 13:41 0065 0G-5 EXE 13:53 0066 BIT LOW 13:55 0070 LHV RED 14:03 0071 ASM MODE 14:05 0078 0G-5 EXE 14:19 0343 0G-4 EXE 23:09 0349 BIT LOW 23:21 0350 0G-5 EXE 23:23 0387 LHV RED 00:37 0388 ASM MODE 00:39 0402 0G-5 EXE 01:07 0435 0G-4 EXE 02:13 0441 BIT LOW 02:25 0453 0G-5 EXE 02:49 0456 0G-7 EXE 02:55 0457 SLEW 360 02:57 0468 BIT LOW 03:19 0469 0G-5 EXE 03:21 0484 0G-4 EXE 03:51 0490 BIT LOW 04:03 0502 0G-5 EXE 04:27 0503 BIT MED 04:29 0504 SLEW (+) 04:31 0511 0G-3 EXE 04:45	
COMMENT		① 本日より下記スケジュールで「DUMMY MNV」の計測を開始します。 DUMMY MNV ENA-1 05- 000000 0000 EXE MNV STRT  → オイラ-角3成分 S(+)=~175.7									
SANGLE 146.9~152.1 STT-Y TEMP. 12.4 °C MIN. -BAT-V(EOO) A 18.3 V (A 18.6 V)											