

「銀河」運用記録 "GINGA" Daily Report

Ver 1.71

1989 9 MONTH : 10 DAY : 4 Y+ 972 Written by : 田代
 OPERATION : PKS 2155-304 (→GC. Lunar Occultation) 田代

	[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NO.	891004-0720	891004-0824	891004-0927	891004-1031	891004-1134
AOS LOS	9:58:52 10:11:04	11:39:14 11:52:53	13:20:51 13:34:14	15:02:13 15:15:31	16:43:56 16:56:26
ELMX	13.79 04:42(+6)	4344 45:40()	8941 27:00(+8)	79.87 08:28(+9)	35.62 49:38 (+6)
CUMMANS	SH REP DUMMY MNV SLEW (+) [05 00 007F000B] 0.3%/0.02m DUMMY MNV SLEW PARA [05 00 007F006B] 3%/13s OG-2 PC	DUMMY MNV TRIM MNV [05, 29, 81, 2C, 00, 4D] (~11 min) PC ST MAP OG-2	SH REP DUMMY MNV SLEW (+) [05, 00, 00, 7F, 00, 0B] 0.3%/0.02m LAC MODE LC E1, E2 ON DUMMY MNV SLEW PARA [05, 00, 00, 7F, 00, 6B] OG-2 PC ST MAP	SH REP DUMMY MNV TRIM MNV [05, FD, 7E, 0B, 00, 43] OG-2 PC	SH REP DUMMY MNV MNV PARA [05, 81, 19, 00, 06, 8C] (GC. Lunar Occ. ^) (~10 時間) PC ST MAP
TLMS	REP	RANGING	REP	REP	REP
ACS	SLEW (+)	TRIM MNV	SLEW (+)	TRIM MNV	
EVENT					
ST	10:06:59	11:48:58	13:30:01	15:11:00	16:52:01
PC PLAN	OG-5 10:09 BIT MED 10:11 TMS ON 10:13 OG-4 10:43 SLEW (+) 10:45 SLEW (-) 11:19 OG-5 11:21 OG-1 11:35 OG-3 11:37	OG-5 11:51 BIT MED 11:53 TMS ON 11:55 OG-4 12:21 OG-7 12:55 SLEW360 12:57 OG-1 13:17 OG-3 13:19 TRIM MNV に暗黒め かかることを判明したため S(+), S(-) を PC より削除	OG-5 13:32 BIT MED 13:34 TMS ON 13:36 OG-4 14:04 SLEW (+) 14:06 SLEW (-) 16:34 OG-5 14:36 OG-1 14:58 OG-3 15:00	OG-5 15:13 BIT MED 15:15 TMS ON 15:17 OG-4 15:43 OG-5 16:15 OG-3 16:41 ★Rev.の姿勢決定に誤 りがあったため、★Rev.の TRIM は不適当だった。 ★Rev.はこのTRIMの 修正を含めたもの。	OG-5 EXE 04 16:54 BIT MED 04 16:56 TMS ON 04 16:58 OG-4 EXE 04 17:26 OG-5 EXE 04 17:52 BIT LOW 04 18:20 LHV RED 04 19:10 OG-5 EXE 04 19:30 OG-4 EXE 04 20:00 BIT LOW 04 20:12 OG-5 EXE 04 20:14 MNV STRT 05 00:14 LHV RED 05 04:14 OG-5 EXE 05 04:34 LHV RED 05 05:46 OG-5 EXE 05 06:14 LHV RED 05 07:22 OG-5 EXE 05 07:54 LHV RED 05 09:00 OG-5 EXE 05 09:36 OG-1 EXE 05 09:50 OG-3 EXE 05 09:52
COMMENT	• PKS2155-304 強度 ~ 8-10mCrab. • Agl. X-1 が明るくなっているようです。本日の結果は ~ 80mCrab. • 1pass の Repro data に 8 姿勢決定に不判解があり、その結果 主入が右往左往して しまっていた。このため 1pass → 4pass の Transmission は 0.4 ありせし。関係各位に深く お詫言申上げます。 < Nagoya 向 local : A400 の端末 FM R60 に Tetris を発見 Y.T. >				
SANGLE	141.8-142.9	STT-Y TEMP. (MAX) 12.6 °C	MIN. -BAT-V (EOD) A 18.3 B 18.2	V (A 18.6 V) B 18.7 V	510