

「銀河」運用記録 “GINGA” Daily Report

Ver 1.71

199 0 MONTH : 4 DAY : 20 Y+ 1170

Written by : Y. TSUSAKA

OPERATION: 1626-67 / Vela X-1

H. INOUE
M. ISHIDA 4

	[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NO.	900420-0617	900420-0721	900420-0824	900420-0927	900420-1031
AOS LOS	8:24:47 8:35:53	10:05:16 10:16:50	11:45:40 11:57:32	13:26:23 13:38:12	15:06:57 15:18:17
ELMX	49.95 30:23	49.13 10:34	天田通過:	65.33 31:18	23.44 12:00
COMMANDS	DUMMY MNV	ENA-1 05E3F4850007 MNV STRT (401号セ) 取込要集更新前の プランドPCスタートが 50秒ぐにたりてたため ので20秒早くPC スタート。	DUMMY MNV	ENA-1 0500007F0879 (SLEW113x-5-) ENA-1 0DEF46 (ZERU-213)ト補正	DUMMY MNV ENA-1 05CFFD6B0005 MNV STRT (401号セ) DUMMY MNV
TLMS	Rep	Rep	Rep	Rep	Rep
ACS		401号セ		SLEW113x-5-2224	401号セ
EVENT	4/20 6:27 (208.80) 71.75 (283.68)			4/20 12:24 (208.87) 71.75 (283.35)	
PLAN	8:33:00 BIT MED 8:35 OG-5 8:37 TMS ON 8:39 BIT HI 8:47 OG-4 9:05 OG-6 9:17 BIT HI 9:43 OG-5 9:45 BIT MED 9:55 OG-1 10:03 OG-3 10:05	10:14:40 OG-5 10:16:40 TMS ON 10:18:0 OG-6 10:50:0 OG-5 11:22:0 BIT MED 11:28:0 OG-1 11:42:0 OG-3 11:44:0	11:54:59 OG-5 11:57 TMS ON 11:59 ST MAP 12:19 OG-5 12:21 OG-6 12:33 OG-5 13:01 BIT MED 13:05 OG-1 13:23 OG-3 13:25	13:36:00 OG-5 13:38 TMS ON 13:40 OG-4 14:14 SLEW(-) 14:16 OG-5 14:38 OG-1 15:04 OG-3 15:06	15:16:00 OG-5 EXE 15:18:00 BIT LOW 15:20:00 TMS ON 15:22:00 OG-4 EXE 15:24:00 BIT LOW 15:36:00 OG-5 EXE 15:38:00 OG-6 EXE 15:54:00 OG-5 EXE 16:16:00 OG-6 EXE 17:36:00 OG-5 EXE 17:50:00 BIT MED 20:30:00 BIT LOW 21:02:00 BIT MED 22:16:00 BIT LOW 22:40:00 OG-4 EXE 23:20:00 BIT LOW 23:30:00 OG-4 EXE 23:32:00 BIT MED 23:54:00 BIT LOW 00:16:00 OG-6 EXE 02:38:00 OG-5 EXE 02:48:00 OG-6 EXE 04:04:00 OG-4 EXE 04:32:00 OG-6 EXE 05:38:00 OG-5 EXE 06:10:00 OG-4 EXE 07:16:00 OG-6 EXE 07:26:00 OG-7 EXE 07:52:00 SLEW 360 07:54:00 BIT LOW 08:16:00 OG-5 EXE 08:18:00 OG-4 EXE 08:52:00 OG-6 EXE 09:02:00 BIT LOW 09:04:00 OG-5 EXE 09:30:00 OG-1 EXE 09:40:00 OG-3 EXE 09:48:00
COMMENT	・昨日にくさへぐと楽な運用だった。 ・石田君か加わり、ぐとにむやみになった。 ・昨日まで、MPC2のスペクトルしか出せなかったのかつづいてミスとわかり、ちう見かぐと遅くた。 ・石田さん本日 5:30頃入感..明日以後QLがぐとふえるはずだ。				
SANGLE 145.6-152.6		SIT-Y TEMP. (MAX) 15.1°C	MIN. -BAT-V(EOD) A 18.3 B 18.2		V (A 18.7 B 18.6 V)