

「銀河」運用記録 "GINGA" Daily Report

199 0 MONTH : 5 DAY : 14 Y+ 1193

Written by : Ver 1.71

OPERATION: SS433H. Tsunemi
S. Kawai

	[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NO.	900513-1442	900513-1545	900514-0001		900514-0207
POS LOS	20:47:30 20:59:17	22:27:48 22:40:26	00:08:04 00:21:09	: : : :	03:29:25 03:41:36
ELMX	18.95 53:06	56.74 33:27	Az. pass:	:	24.48 35:01
COM MANDS	SH REP E1 ON E2 ON MNV DUMMY MNV 05-0000 7F0008 Slew ⊕	SH REP Z-drift corr. 00-E987 MNV DUMMY MNV 05-07F17F0033	SH REP MNV DUMMY MNV STRT MNV PAR 05-00007F0010 Slew ⊕	あ 4 12 9	44 REP Z-drift corr. 00-E947 PC MNV DUMMY MNV 05-F2877F0000 MNV STRT
TLMS	REP	REP	REP		REP
ACS	Slew + 0.3°	MNV, TRIM	Slew + 0.8°		MNV, TRIM
EVENT	(199.83) 115.18 3.84 Z- drift 1000 Hz Time?	LAC count 4860 SS433 Z 4860-2000	LAC count 4860 4860 (199.62) 115.38 4.38		(199.65) 115.29 5.11
ST	20:55:01	22:36:01	00:17:01	: :	03:38:01
PC PLAN	1 OG-5 3 TMS ON 10 OG-4 19 OG-6 35 BIT HI 36 OG-5 45 OG-2 46 OG-3	1 OG 5 3 TMS ON 7 OG 4 19 OG 6 33 BIT HI 34 OG 5 45 OG 2 46 OG 3	1 OG 5 2 BIT MED 3 TMS ON 4 OG 6 33 OG 5 34 BIT HI 51 OG 4 58 OG 6 81 OG 5 96 OG 3		0002 A-4 TMS ON 0003 4-E OG-4 EXE 0004 6-E OG-6 EXE 0029 5-E OG-5 EXE 0045 6-E OG-6 EXE 0064 5-E OG-5 EXE 0070 6-E OG-6 EXE 0071 0-7 BIT LOW 0076 5-E OG-5 EXE 0236 4-E OG-4 EXE 0241 6-E OG-6 EXE 0257 1-7 BIT MED 0258 5-E OG-5 EXE 0271 6-E OG-6 EXE 0307 5-E OG-5 EXE 0320 6-E OG-6 EXE 0354 5-E OG-5 EXE 0369 6-E OG-6 EXE 0402 5-E OG-5 EXE 0417 6-E OG-6 EXE 0426 4-E OG-4 EXE 0433 6-E OG-6 EXE 0450 5-E OG-5 EXE 0456 7-E OG-7 EXE 0457 A-9 SLEW 360 0468 4-E OG-4 EXE 0476 6-E OG-6 EXE 0498 5-E OG-5 EXE 0505 2-E OG-2 EXE 0506 3-E OG-3 EXE
COMMENT	土曜のPCZ-HV RED が 4860 Hz - 1000 Hz に入りました Z-drift が予想以上で 500 Hz 以上で 554319 Hz 以上 4860 Hz に入りました。KSC の 4860 Hz は 500 Hz 以上 !! 富田のコンピュータの使い方がわからなくて 2 時間もかかりました。日曜の 1 人にきいた 54 人と教わりました。				

SANGLE 51.0-52.7 STT-Y TEMP. (MAX) 12.7 °C MIN.-BAT-V (EOD) A 18.3 B 18.0 V (A 18.4 V) (B 18.2 V)