

「銀河」運用記錄 “GINGA” Daily Report

Ver 1.71

199 0 MONTH : 5 DAY : 23 Y+ 1202

Written by : H. Tsunemi
S. Kafuku

OPERATION: SCAN TV ON THE VOID IN COMA

	[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NO.	900522-1134	900522-1237	900522-1340	900522-1444	900522-1547
AOS LOS	16:33:05 16:44:26	18:13:46 18:25:16	19:53:44 20:05:54	21:34:03 21:46:35	23:15:09 23:26:18
ELMX	18.57 38:39	58.01 18:49	Az. pass :	58.12 39:43	20.26 20:06
COMMANDS	MNV DUMMY START PAR SET (Slew) 05-00007F0006	MNV DUMMY START MNV PARA 05-8113010288 MNV START	PC D7-DA (LAC 7 level 7→6)	Z-drift corr. 0D-E712	地上系トランシーブ エコーが返る 1'47"経過後にPC START (1'47"経過後)
TLMS	REP	Ranging	Rep	Rep	Rep
ACS	—	MNV ~→	~MNV ~→	~MNV ~→	NORMAL
EVENT	15:12 (245.42) (149.51) (139.68)	17:22 (245.40) (149.70) (53.40)			22:22 (269.85) (133.34) (69.07) +1'47"
ST	16:41:00	18:22:01	20:03:00	21:43:00	
PC PLAN	OG 5 1643 BIT MED 1645 TMS ON 1647 Slew - 1711 OG 4 1719 OG 5 1755 OG 3 1813	OG 5 1824 BIT MED 1826 TMS ON 1828 OG 7 1856 OG 5 1932 BIT H1 1934 OG 2 1952 OG 3 1954	OG 5 2005 TMS ON 2007 OG 7 2039 OG 5 2109 OG 2 2131 OG 3 2133	OG 5 2145 TMS ON 2147 OG 4 2219 OG 5 2247 OG 2 2313 OG 3 2315	OG-5 EXE 23:25 BIT LOW 23:27 TMS ON 23:29 OG-4 EXE 00:01 BIT LOW 00:13 OG-5 EXE 00:25 LHV RED 01:41 OG-5 EXE 01:59 OG-4 EXE 03:11 BIT LOW 03:23 OG-5 EXE 03:25 OG-4 EXE 04:21 BIT LOW 06:33 OG-5 EXE 06:35 OG-4 EXE 09:31 BIT LOW 09:43 OG-5 EXE 09:45 LHV RED 10:35 OG-7 EXE 10:57 SLEW 360 10:59 BIT LOW 11:21 OG-5 EXE 11:23 LHV RED 12:09 OG-4 EXE 12:41 BIT LOW 12:53 OG-5 EXE 12:55 LHV RED 13:45 OG-5 EXE 14:19 LHV RED 15:21 OG-4 EXE 15:51 BIT LOW 16:03
COMMENT	※5パスではコマンドエラー7-9 エコーが返る(地上系トランシーブ) 時間をロスした 後には数分経たぬうちにPC STARTへもついても (1'47"経過後) の現象はこれとほぼ同じで、原因は未だ不明。 時刻付け不良がひんぱんに発生します。 何となく!				
SANGLE 40.2-148.6 STT-Y TEMP. (MAX) 18.3 °C MIN. -BAT-V(EOD) A 18.1 V (A 18.6 V)					