

「銀河」運用記録 "GINGA" Daily Report

Ver 1.71

199 MONTH : DAY : Y+

Written by : M. NAKAGAWA

OPERATION: MNV TO MAP POSITION FOR NGC 5548

T. TSURU

	[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NO.	900604-0619	900604-0723	900604-0826	900604-0929	900604-1033
AOS LOS	9:25:35 9:36:36	11:05:10 11:17:30	12:45:50 12:57:56	14:25:56 14:38:26	16:06:20 16:18:15
ELMX	11.71 30:55	38.84 11:01	83.06 51:29	78.89 31:59	31.62 12:16
COM M A N D S	ANT A→B SH REP ST TRK LC E1 ON LC E2 ON DUMMY MNV MNV STRT MNV PARA 05-0F7FD6 021A MNV STRT LHV OF DCMENA LHV 0,1,2,3, 6,7 ON	ST MAP ST TRK ANT A→B	SH REP ST MAP 01D0/021A ST TRK ANT A→B	SH REP ST MAP ST TRK TRD-2 COR 00-E474 ANT A→B	SH REP DUMMY MNV MNV STRT TRIM MNV 05-CE227E 0029 MNV STRT ANT A→B DUMMY MNV MNV STRT
TLMS	REP	RANGING	REP	REP	REP
ACS	MNV	~~~~~>			TRIM MNV
E V E N T	6/3 11:33 SC-1後 (272.76) (118.31) (100.21)	6/4 21:52 SC-1後 (272.56) (118.37) (99.44)		6/4 14:16 (289.73) (117.50) (101.66)	目標値 (289.96) (116.98) (102.90)
ST	9:32:48	11:13:00	12:54:00	14:38:00	16:14:00
P C P L A N	0G-5 9:35 BIT MED 1:37 TMS ON 9:39 LHV RED 10:09 0G-5 10:45 0G-1 11:01 0G-3 11:03 上記時刻は予定値 実際は1分48秒 おくれました。	0G-5 11:15 BIT MED 1:17 TMS ON 1:19 LHV RED 11:49 0G-5 12:21 0G-1 12:41 0G-3 12:43	0G-5 12:56 TMS ON 13:00 BIT MED 12:0 LHV RED 12:8 0G-4 13:50 0G-5 14:10 0G-1 14:22 0G-3 14:24	0G-5 14:36 TMS-ON 14:40 BIT MED 15:00 LHV RED 15:10 0G-4 15:24 0G-5 15:36 0G-1 16:02 0G-3 16:04	0G-5 EXE 16:16 BIT LOW 16:18 TMS ON 16:20 LHV RED 16:50 0G-4 EXE 16:58 BIT LOW 17:12 0G-5 EXE 17:14 0G-4 EXE 18:24 18:32 BIT LOW 18:48 0G-5 EXE 18:50 0G-4 EXE 01:48 BIT LOW 01:58 0G-5 EXE 02:00 LHV RED 05:06 0G-5 EXE 05:26 LHV RED 06:38 0G-4 EXE 07:06 0G-7 EXE 07:18 SLEW 360 07:20 BIT LOW 07:42 0G-5 EXE 07:44 0G-4 EXE 08:06 BIT LOW 08:16 0G-5 EXE 08:48 LHV RED 09:00 0G-1 EXE 09:20 0G-3 EXE 09:24
C O M M E N T	・本日 AOS, LOS おへておくれその値を示します。 おくれ分 AOS/LOS 単位秒 34/85, 68/75, 88/75, 55/82, 40/72 ・本日のPASS1より LAC4, LAC5 (共にB系) のHV OF に1211です。B1から Rev. #5までの所、異常カウント無し。(HV OF=00) (LHV RED ~ 250T) を 気にします。 ・後の個人的予想: LAC4 Midに原因がある、あと50秒ストーク V (A18.9 V) B (818.8 V)				
SANGLE 145.3 ~ 160.1	ST-Y TEMP (MAX) 15.1 °C	MIN. -BAT-V (EOD) A			