

「銀河」運用記録 "GINGA" Daily Report

Ver. 1.71

199 MONTH : DAY : Y+

Written by :

OPERATION:

伊藤 上修

	[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NO.	901103-0411	901103-0514	901103-0618	901103-0721	901103-0824
AOS LOS	05:12:41 05:23:19	06:57:25 07:04:03	08:31:33 08:44:14	10:11:31 10:24:20	11:51:57 12:04:05
ELMX	10° 95 17:38	38.59 57:22	82° 54 37:20	80° 82 17:30	36° 19 57:38
COM MANDS	SH REP DUMMY MNV SLEW parm. set (05,00007F0389) SLEW (+) PC CLR/CHK/WRT DUMMY MNV SLEW parm. set (05,000090FC2)	PC CLR/WRT/CHK	SH REP Dri (+-2 BC (0D, E104) DUMMY MNV MNV parm. set (05,00007F008F) PC CLR/WRT/CHK	SH REP DUMMY MNV Trim MNV parm. set (05,0970820005) MNV STRT PC CLR/WRT/CHK	SH REP DUMMY MNV SLEW parm. set (05,00007F008F) PC CLR/WRT/CHK
TLMS	REP	Ranging	REP	REP	REP
ACS	S0 25.33° M0 S0 8°		M0 4°	Trim. MNV	
E V E N T	~11/2 22:00 (63.57 66.64 177.17)	SCAN ±	~8:45 (47.97 72.01 208.12)	SLEW TO PKS 2155 -304	
P C P L A N	05:18:38 OG-5 5:22 BIT MED 5:24 TMS ON 5:26 MNV STRT 5:46 LHV RED 5:58 OG-5 6:30 SLEW (-) 6:40 OG-1 6:48 OG-3 6:50 (3秒遅延)	06:59:01 OG-5 7:01 BIT MED 7:03 TMS ON 7:05 OG-4 7:09 OG-5 7:23 LHV RED 7:37 OG-5 8:09 OG-1 8:27 OG-3 8:29	08:40:01 TMS ON 8:42 OG-4 8:44 OG-5 8:56 LHV RED 9:16 BIT HI 9:44 OG-5 9:46 MNV STRT 9:50 OG-1 10:08 OG-3 10:10	10:20:01 OG-5 10:22 BIT MED 10:24 TMS ON 10:26 LHV RED 10:56 OG-5 11:22 BIT HI 11:30 OG-1 11:48 OG-3 11:50 SLEW (-) 04:55 OG-4 EXE 05:15 OG-6 EXE 05:31 BIT LOW 05:33 OG-5 EXE 14:11 OG-4 EXE 14:41 BIT LOW 14:55 OG-5 EXE 14:57 OG-4 EXE 21:01 BIT LOW 21:15 OG-5 EXE 21:17 OG-1 EXE 22:01 LHV RED 22:03 OG-3 EXE 22:05	11:59:00 OG-5 EXE 12:01 BIT LOW 12:03 TMS ON 12:05 OG-6 EXE 12:29 OG-5 EXE 12:59 SLEW (-) 13:09 OG-4 EXE 13:27 BIT LOW 13:41 OG-5 EXE 13:43 MNV STRT 13:45 OG-6 EXE 13:59 OG-5 EXE 14:35 OG-4 EXE 15:35 OG-5 EXE 16:03 OG-6 EXE 17:11 OG-5 EXE 17:39 OG-6 EXE 18:45 OG-5 EXE 19:11 OG-6 EXE 20:19 OG-5 EXE 20:47 SLEW (-) 20:55 OG-4 EXE 21:21 OG-6 EXE 21:35 BIT LOW 21:37 OG-5 EXE 22:23 MNV STRT 22:25 OG-6 EXE 00:49 OG-5 EXE 01:31 OG-6 EXE 01:57 OG-5 EXE 03:03 OG-6 EXE 03:37 OG-5 EXE 04:41
C O M M E N T	追跡室の天井から雨もりした。 PKS 2155-304 SCAN 中 ~50 cts/sec.				
SANGLE	153.4 ~ 170.0	SIT-Y TEMP. 13.6 °C	MIN. -BAT-V (EOD) A 18.2 B 18.1	V (A 18.4 ~ V) B 18.6	