

「銀河」運用記録 "GINGA" Daily Report

199 MONTH : DAY : Y+ Written by : Ver 1.71
 OPERATION:

	[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NU.	91-0219-1547	91-0220-0103	91-0220-0206	91-0220-0309	91-0220-0413
AOS	23:24:30	01:04:02	02:43:03	04:23:06	06:03:38
LOS	23:36:09	01:15:55	02:55:35	04:35:05	06:13:29
ELMX	27.24 (30:00)	72.36 (12:10)	天頂通過	46.06 (28:35)	14.28 (07:46)
COMMANDS	SH REP BC(1)05,00,00,00,00,00 MNV STRT BC(1)05,00,00,17,00,5A MNV STRT PC CLR, WRT, CHK ST MAP BC(1)05,00,00,00,00,00 MNV STRT BC(1)05,00,00,07,14,54 LC E1 ON LC E2 ON ST TRK PC STRT	BC(1)05,00,00,00,00,00 MNV STRT BC(1)05,43,45,AD,00,04 MNV STRT PC CLR, WRT, CHK BC(1)05,00,00,00,00,00 MNV STRT BC(1)05,00,00,07,14,54 LC E1 ON LC E2 ON ST TRK PC STRT	SH REP ST MAP BC(1)00,00,00,6D BC(1)05,00,00,00,00,00 MNV STRT BC(1)05,00,00,07,14,54 PC CLR, WRT, CHK ST TRK SANT B LANT B RNG B	SH REP ST MAP BC(1)05,00,00,00,00,00 MNV STRT PC CLR, WRT, CHK ST TRK PC STRT	SH REP ST MAP BC(1)05,40,EA,29,00,04 MNV STRT BC(B)00,31 BC(1)05,00,00,00,00,00 MNV STRT BC(1)05,21,81,00,05,36 ST TRK PC CNTI
TLMS	Rep	Rang	Rep	Rep	Rep
ACS	SLEW HZ 2°5' / Scan Param Set	Trim / Scan Param	Scan Param	Dummy	Trim / Param Set
EVENT	SLEW 4% 02/19 23:30 (134.73) 43.16 (227.27)	Trim 4% 02/20 01:10 (134.88) 43.17 (227.09)	02/20 02:40 (134.93) 43.13 (227.09)	02/20 04:28 (134.95) 43.10 (227.00)	Trim 4% 02/20 06:07 (134.90) 43.15 (227.07)
ST	23:32:00	01:12:00	02:51:00	04:31:00	06:07:00
PLAN	BIT MED 23:34:00 TMS ON 23:36:00 OG-5 EXE 23:44:00 MNV STRT 23:46:00 SLEW (-) 23:58:00 LHV RED 00:10:00 OG-4 EXE 00:30:00 OG-3 EXE 01:02:00	TMS ON 01:16:00 OG-5 EXE 01:20:00 MNV STRT 01:22:00 SLEW (-) 01:34:00 BIT MED 01:46:00 LHV RED 01:48:00 OG-4 EXE 02:04:00 OG-5 EXE 02:18:00 OG-3 EXE 02:40:00	OG-5 EXE 02:53:00 TMS ON 02:55:00 MNV STRT 02:57:00 SLEW (-) 03:09:00 BIT MED 03:21:00 LHV RED 03:29:00 OG-4 EXE 03:41:00 OG-5 EXE 03:55:00 OG-1 04:19:00 OG-3 EXE 04:21:00	OG-5 EXE 04:33:00 TMS ON 04:35:00 BIT MED 05:05:00 LHV RED 05:07:00 OG-4 EXE 05:13:00 OG-5 EXE 05:31:00 OG-3 EXE 06:01:00	OG-5 EXE 06:11:00 BIT MED 06:13:00 TMS ON 06:15:00 OG-4 EXE 06:47:00 BIT LOW 06:59:00 OG-5 EXE 07:07:00 BIT MED 07:35:00 BIT LOW 08:11:00 OG-4 EXE 11:35:00 BIT LOW 11:47:00 OG-5 EXE 11:49:00 OG-4 EXE 14:43:00 BIT LOW 14:55:00 OG-5 EXE 14:57:00 MNV STRT 15:01:00 LHV RED 17:21:00 OG-5 EXE 17:35:00 LHV RED 18:49:00 OG-5 EXE 19:15:00 LHV RED 20:23:00 OG-5 EXE 20:55:00 LHV RED 21:59:00 OG-4 EXE 22:27:00 BIT LOW 22:39:00 OG-2 22:49:00 OG-3 EXE 22:51:00
COMMENT					
SANGLE	141.1-142.3	ST-Y TEMP (MAX) 17.2 °C	MIN.-BAT-V(EOO) A 18.2 B 18.4	V (A 18.6 B 18.6 V)	