

「銀河」運用記録 "GINGA" Daily Report

199 1 MONTH : 8 DAY : 13 Y+ 1650

Written by : M. YAMAUCHI

Ver. 1.71

OPERATION: X 1608 HV down → HV normal

Y. UEDA

	[PASS 1]	[PASS 2]	[PASS 3]	[PASS 4]	[PASS 5]
NO.	910813-0309	910813-0412	910813-0515	910813-0619	910813-0722
AOS LOS	4:14:43 4:23:56	5:51:38 6:2:30	7:29:14 7:40:45	9:7:20 9:19:01	: :
ELMX	9.43 18:58	39.07 56:29	85.39 39:12	72.73 12:05	:
COM MANDS	Dummy MNV. SL 0.4° (+) (MNV) MPC-1 LAC HV level 0:9 1:4 2:9 3:9 4:9 5:9 6:8 7:3	ST MAP Dummy MNV Trim [90 CDOB, 0019] ST TRK LC E1/E2 ON pc mode select all. C.G. High Lac-A select. Discr: HLM Lac-B select Discr: MMH Add sec. [0031]	MPC-1 Select all. C.G. Low Discr: LHM Drift → [D13A] PC STRT 20秒前 MPC-3	ST MAP Dummy MNV ST TRK	MNV to BGD [05,00 007F, 0059] MPC-1 LAC HV level 0:6 1:6 2:6 3:6 4:6 5:6 6:5 7:0 Dummy MNV MNV para to EXO Add sec [0031]
TLMS	Rep.	Ranging	Rep.	Rep.	Rep.
ACS	MNV 0.4°	Trim			
E V E N T	3:53 (330.13) (89.27) (231.64)		7:03 (330.73) (85.92) (232.05)		
ST	4:20:29	5:58:31	7:36:01	9:15:23	10:53:01
P C P L A N	BIT LOW 04:23 OG-5 EXE 04:25 TMS ON 04:27 OG-4 EXE 04:57 OG-6 EXE 05:09 BIT LOW 05:31 OG-5 EXE 05:33 OG-1 EXE 05:43 LHV RED 05:47 OG-3 EXE 05:49 BIT LOW 06:01 OG-5 EXE 06:03 TMS ON 06:05 +1分 29秒			BIT LOW 09:16 OG-5 EXE 09:18 TMS ON 09:20 BIT HI 09:34 OG-4 EXE 09:46 OG-6 EXE 09:58 BIT HI 10:14 OG-5 EXE 10:16 OG-1 EXE 10:42 OG-3 EXE 10:44 +1分 23秒	OG-5 EXE 10:54 BIT LOW 10:56 TMS ON 10:58 OG-4 EXE 11:18 OG-6 EXE 11:30 BIT LOW 11:48 OG-5 EXE 11:50 OG-6 EXE 13:06 OG-5 EXE 13:24 BIT MED 16:54 BIT LOW 17:14 OG-4 EXE 17:26 OG-5 EXE 17:40 BIT LOW 17:42 BIT MED 21:38 BIT LOW 21:54 OG-4 EXE 23:12 BIT LOW 23:24 MNV STRT 23:26 OG-5 EXE 23:44 LHV RED 00:52 OG-5 EXE 01:24 LHV RED 02:26 OG-5 EXE 03:00 OG-4 EXE 04:02 BIT LOW 04:14 OG-5 EXE 04:36 OG-1 EXE 04:52 OG-3 EXE 04:54
C O M M E N T	BIT HI 06:21 OG-4 EXE 06:35 OG-5 EXE 07:07 BIT HI 07:09 OG-1 EXE 07:25 OG-3 EXE 07:27	坂尾様より、ホシカンワインを頂きました。(さて、いつ飲むか?) ・2パス目はG-150のみでの運用でした。(S3500は坂尾軍団 が専有していた為) ホシカンワインは「そんな」の皆さんで飲んで下さい。明日は 1回目のPI動作4エックです。 今日 1人 口荒度 が 4ヶ々 7ヶ々 大きかった。おかげで S3500 が 異様に 臭い。			
SANGLE 161.0	STT-Y TEMP. (max) 13.1°C	MIN. -BAT-V(EOD)	A 18.3 B 18.2	V (A 18.3 B 18.3 V)	