Plot file version 1 created 07-OCT-2005 18:19:15
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 2 created 07-OCT-2005 18:19:15
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
5
0
-5
FD - LA
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 3 created 07-OCT-2005 18:19:16
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
FD - NL
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 4 created 07-OCT-2005 18:19:16
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
5
0
-5
-10
-15
FD - OV
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 5 created 07-OCT-2005 18:19:16
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
FD - PT
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 6 created 07-OCT-2005 18:19:17
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
100
0
-100
1.2
FD - RZ
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 7 created 07-OCT-2005 18:19:17
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
FD - SC
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 8 created 07-OCT-2005 18:19:17
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
FD - MK
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01

Plot file version 9 created 07-OCT-2005 18:19:20
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 10 created 07-OCT-2005 18:19:21
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
10
0
-10
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
KP - NL
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 11 created 07-OCT-2005 18:19:21
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
5
0
-5
-10
-15
-20
KP - OV
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 12 created 07-OCT-2005 18:19:22
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
KP - PT
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 13 created 07-OCT-2005 18:19:22
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
100
0
-100
KP - RZ
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 14 created 07-OCT-2005 18:19:22
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
KP - SC
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 15 created 07-OCT-2005 18:19:23
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
KP - MK
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 16 created 07-OCT-2005 18:19:23
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
LA - NL
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01

Plot file version 17 created 07-OCT-2005 18:19:23
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 18 created 07-OCT-2005 18:19:24
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
LA - PT
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 19 created 07-OCT-2005 18:19:24
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
100
0
-100
LA - RZ
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 20 created 07-OCT-2005 18:19:24
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
0
-10
-20
LA - SC
700
600
500
400
300
200
100
0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 21 created 07-OCT-2005 18:19:25
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
LA - MK
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 22 created 07-OCT-2005 18:19:25
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
10
5
0
-5
-10
-15
NL - OV
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 23 created 07-OCT-2005 18:19:25
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
NL - PT
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 24 created 07-OCT-2005 18:19:26
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
100
0
-100
NL - RZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 25 created 07-OCT-2005 18:19:26
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
NL - SC
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01

Plot file version 26 created 07-OCT-2005 18:19:27
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied



Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 27 created 07-OCT-2005 18:19:27
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
20
10
0
-10
900
800
700
600
500
400
300
200
100
0
OV - PT
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 28 created 07-OCT-2005 18:19:27
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
100
0
-100
OV - RZ
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 29 created 07-OCT-2005 18:19:28
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
10
0
-10
-20
OV - SC
700
600
500
400
300
200
100
0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 30 created 07-OCT-2005 18:19:28
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
10
0
-10
900
800
700
600
500
400
300
200
100
0
OV - MK
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 31 created 07-OCT-2005 18:19:28
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
PT - RZ
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 32 created 07-OCT-2005 18:19:29
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
20
10
0
-10
-20
PT - SC
600
500
400
300
200
100
0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 33 created 07-OCT-2005 18:19:29
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
30
20
10
0
-10
PT - MK
700
600
500
400
300
200
100
0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 34 created 07-OCT-2005 18:19:29
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
100
50
0
-50
-100
-150
RZ - SC
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 35 created 07-OCT-2005 18:19:30
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
100
0
-100
RZ - MK
900
800
700
600
500
400
300
200
100
0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01


Plot file version 36 created 07-OCT-2005 18:19:30
VS07O.UVSRT.1
Freq = 4.8000 GHz, Bw = 16.000 MH Calibrated with CL # 5 but no bandpass applied
SC - MK
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:00:01 to 00/12:10:01