
Plot file version 1 created 07-OCT-2005 15:53:15
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
BR - FD
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 2 created 07-OCT-2005 15:53:16
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
1.2
1.0
0.8
0.6
0.4
0.2
0.0
BR - HN
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00

Plot file version 3 created 07-OCT-2005 15:53:18
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 4 created 07-OCT-2005 15:53:19
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
-15
-20
BR - LA
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 5 created 07-OCT-2005 15:53:21
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
30
20
10
0
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
BR - MK
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 6 created 07-OCT-2005 15:53:22
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
BR - NL
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 7 created 07-OCT-2005 15:53:23
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
0
-10
-20
-30
BR - OV
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 8 created 07-OCT-2005 15:53:25
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
30
20
10
0
-10
BR - SC
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 9 created 07-OCT-2005 15:53:26
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
-30
-40
BR - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 10 created 07-OCT-2005 15:53:29
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
BR - RZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 11 created 07-OCT-2005 15:53:30
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
-15
-20
FD - HN
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 12 created 07-OCT-2005 15:53:32
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
FD - KP
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 13 created 07-OCT-2005 15:53:33
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
FD - LA
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 14 created 07-OCT-2005 15:53:35
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
FD - MK
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 15 created 07-OCT-2005 15:53:36
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
FD - NL
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 16 created 07-OCT-2005 15:53:38
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
-15
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
FD - OV
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 17 created 07-OCT-2005 15:53:39
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
-30
FD - SC
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 18 created 07-OCT-2005 15:53:40
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
FD - Y
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 19 created 07-OCT-2005 15:53:43
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
ED - RZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 20 created 07-OCT-2005 15:53:45
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
HN - KP
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 21 created 07-OCT-2005 15:53:46
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
15
10
5
0
-5
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
HN - LA
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 22 created 07-OCT-2005 15:53:47
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
HN - MK
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 23 created 07-OCT-2005 15:53:49
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
HN - NL
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 24 created 07-OCT-2005 15:53:51
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
HN - OV
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 25 created 07-OCT-2005 15:53:52
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
HN - SC
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 26 created 07-OCT-2005 15:53:54
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
HN - Y
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 27 created 07-OCT-2005 15:53:56
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
HN - RZ
2.0
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 28 created 07-OCT-2005 15:53:58
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
KP - LA
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00

Plot file version 29 created 07-OCT-2005 15:53:59
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 30 created 07-OCT-2005 15:54:01
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
-15
KP - NL
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 31 created 07-OCT-2005 15:54:02
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
KP - OV
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 32 created 07-OCT-2005 15:54:04
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
KP - SC
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 33 created 07-OCT-2005 15:54:05
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
KP - Y
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 34 created 07-OCT-2005 15:54:08
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
KP - RZ
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 35 created 07-OCT-2005 15:54:09
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
LA - MK
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 36 created 07-OCT-2005 15:54:11
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
LA - NL
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 37 created 07-OCT-2005 15:54:12
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
LA - OV
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 38 created 07-OCT-2005 15:54:13
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
-20
LA - SC
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 39 created 07-OCT-2005 15:54:15
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
-20
-30
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
LA - Y
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 40 created 07-OCT-2005 15:54:18
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
LA - RZ
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 41 created 07-OCT-2005 15:54:19
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
1.2
1.0
0.8
0.6
0.4
0.2
0.0
MK - NL
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 42 created 07-OCT-2005 15:54:21
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
0
-5
-10
-15
-20
-25
1.2
1.0
0.8
0.6
0.4
0.2
0.0
MK - OV
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 43 created 07-OCT-2005 15:54:22
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
MK - SC
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00

Plot file version 44 created 07-OCT-2005 15:54:23
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 45 created 07-OCT-2005 15:54:26
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
MK - RZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 46 created 07-OCT-2005 15:54:28
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
15
10
5
0
-5
-10
1.4
NL - OV
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 47 created 07-OCT-2005 15:54:29
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
1.2
NL - SC
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 48 created 07-OCT-2005 15:54:31
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
-20
NL - Y
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 49 created 07-OCT-2005 15:54:33
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
NL - RZ
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 50 created 07-OCT-2005 15:54:35
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
OV - SC
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 51 created 07-OCT-2005 15:54:36
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
-30
OV - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 52 created 07-OCT-2005 15:54:39
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
OV - RZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 53 created 07-OCT-2005 15:54:40
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
SC - Y
IF 1(LL)
IF 2(LL)
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 54 created 07-OCT-2005 15:54:43
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
200
100
0
-100
SC - RZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00


Plot file version 55 created 07-OCT-2005 15:54:46
VS09J.UVSRT.1
Freq = 4.9660 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
Y - RZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 1(LL)
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/12:30:00 to 00/12:40:00