Plot file version 1 created 07-OCT-2005 15:58:03
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 2 created 07-OCT-2005 15:58:03
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
-15
BR - HN
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 3 created 07-OCT-2005 15:58:03
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
BR - KP
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 4 created 07-OCT-2005 15:58:03
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
BR - LA
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00

Plot file version 5 created 07-OCT-2005 15:58:04
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 6 created 07-OCT-2005 15:58:04
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
BR - OV
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 7 created 07-OCT-2005 15:58:04
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
900
800
700
600
500
400
300
200
100
0
BR - SC
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 8 created 07-OCT-2005 15:58:05
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
BR - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 9 created 07-OCT-2005 15:58:05
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
150
100
50
0
-50
-100
BR - TZ
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 10 created 07-OCT-2005 15:58:06
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
-15
-20
1.2
FD - HN
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 11 created 07-OCT-2005 15:58:06
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
1.4
FD - KP
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 12 created 07-OCT-2005 15:58:06
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
FD - LA
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 13 created 07-OCT-2005 15:58:07
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
0
-5
-10
FD - NL
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 14 created 07-OCT-2005 15:58:07
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
15
10
5
0
-5
-10
FD - OV
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 15 created 07-OCT-2005 15:58:07
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
FD - SC
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 16 created 07-OCT-2005 15:58:07
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
-20
FD - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 17 created 07-OCT-2005 15:58:08
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
50
0
-50
-100
-150
FD - TZ
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 18 created 07-OCT-2005 15:58:08
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
-15
HN - KP
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00

Plot file version 19 created 07-OCT-2005 15:58:08
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 20 created 07-OCT-2005 15:58:09
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
25
20
15
10
5
0
HN - NL
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 21 created 07-OCT-2005 15:58:09
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
1.2
HN - OV
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 22 created 07-OCT-2005 15:58:09
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
1.2
HN - SC
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 23 created 07-OCT-2005 15:58:10
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
HN - Y
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 24 created 07-OCT-2005 15:58:10
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
HN - TZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00

Plot file version 25 created 07-OCT-2005 15:58:10
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 26 created 07-OCT-2005 15:58:11
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
KP - NL
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 27 created 07-OCT-2005 15:58:11
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
15
10
5
0
-5
-10
KP - OV
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 28 created 07-OCT-2005 15:58:11
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
KP - SC
900
800
700
600
500
400
300
200
100
0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 29 created 07-OCT-2005 15:58:12
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
KP - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 30 created 07-OCT-2005 15:58:12
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
KP - TZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00

Plot file version 31 created 07-OCT-2005 15:58:13
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00

Plot file version 32 created 07-OCT-2005 15:58:13
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 33 created 07-OCT-2005 15:58:13
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
LA - SC
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 34 created 07-OCT-2005 15:58:13
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
LA - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 35 created 07-OCT-2005 15:58:14
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
2.0
LA - TZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00

Plot file version 36 created 07-OCT-2005 15:58:16
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 37 created 07-OCT-2005 15:58:16
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
NL - SC
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 38 created 07-OCT-2005 15:58:16
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
30
20
10
0
-10
1.2
NL - Y
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 39 created 07-OCT-2005 15:58:16
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
1.4
NL - TZ
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 40 created 07-OCT-2005 15:58:17
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
-20
900
800
700
600
500
400
300
200
100
0
OV - SC
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 41 created 07-OCT-2005 15:58:17
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
-20
1.2
1.0
0.8
0.6
0.4
0.2
0.0
OV - Y
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 42 created 07-OCT-2005 15:58:17
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
OV - TZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 43 created 07-OCT-2005 15:58:18
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
30
20
10
0
-10
-20
SC - Y
800
700
600
500
400
300
200
100
0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 44 created 07-OCT-2005 15:58:18
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
1.8
SC - TZ
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00


Plot file version 45 created 07-OCT-2005 15:58:19
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
Y - TZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/07:50:00 to 00/08:00:00