
Plot file version 1 created 07-OCT-2005 16:00:40
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
BR - FD
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00

Plot file version 2 created 07-OCT-2005 16:00:41
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 3 created 07-OCT-2005 16:00:41
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
BR - KP
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 4 created 07-OCT-2005 16:00:42
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
BR - LA
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 5 created 07-OCT-2005 16:00:43
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
25
20
15
10
5
0
BR - MK
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 6 created 07-OCT-2005 16:00:43
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
BR - NL
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 7 created 07-OCT-2005 16:00:44
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
-15
BR - OV
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 8 created 07-OCT-2005 16:00:45
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
30
20
10
0
-10
BR - SC
900
800
700
600
500
400
300
200
100
0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 9 created 07-OCT-2005 16:00:46
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
BR - Y
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 10 created 07-OCT-2005 16:00:47
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
BR - RZ
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 11 created 07-OCT-2005 16:00:47
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
0
-10
-20
FD - HN
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 12 created 07-OCT-2005 16:00:48
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
FD - KP
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 13 created 07-OCT-2005 16:00:49
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
FD - LA
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 14 created 07-OCT-2005 16:00:49
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
FD - MK
900
800
700
600
500
400
300
200
100
0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 15 created 07-OCT-2005 16:00:50
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
FD - NL
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 16 created 07-OCT-2005 16:00:51
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
FD - OV
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 17 created 07-OCT-2005 16:00:51
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
FD - SC
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 18 created 07-OCT-2005 16:00:52
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
FD - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 19 created 07-OCT-2005 16:00:53
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
FD - RZ
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 20 created 07-OCT-2005 16:00:54
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
15
10
5
0
-5
HN - KP
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 21 created 07-OCT-2005 16:00:55
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
15
10
5
0
-5
HN - LA
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 22 created 07-OCT-2005 16:00:55
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
-10
-15
-20
HN - MK
900
800
700
600
500
400
300
200
100
0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 23 created 07-OCT-2005 16:00:56
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
HN - NL
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00

Plot file version 24 created 07-OCT-2005 16:00:56
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00

Plot file version 25 created 07-OCT-2005 16:00:57
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 26 created 07-OCT-2005 16:00:58
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
1.2
HN - Y
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 27 created 07-OCT-2005 16:00:59
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
150
100
50
0
-50
-100
HN - RZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 28 created 07-OCT-2005 16:01:00
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
5
0
-5
1.6
KP - LA
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 29 created 07-OCT-2005 16:01:00
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
KP - MK
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 30 created 07-OCT-2005 16:01:01
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
KP - NL
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00

Plot file version 31 created 07-OCT-2005 16:01:02
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 32 created 07-OCT-2005 16:01:02
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
30
20
10
0
-10
-20
KP - SC
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 33 created 07-OCT-2005 16:01:03
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
1.4
KP - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00

Plot file version 34 created 07-OCT-2005 16:01:04
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00

Plot file version 35 created 07-OCT-2005 16:01:05
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00

Plot file version 36 created 07-OCT-2005 16:01:06
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00

Plot file version 37 created 07-OCT-2005 16:01:06
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied



Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 38 created 07-OCT-2005 16:01:07
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
LA - SC
900
800
700
600
500
400
300
200
100
0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 39 created 07-OCT-2005 16:01:08
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
LA - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 40 created 07-OCT-2005 16:01:09
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
LA - RZ
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 41 created 07-OCT-2005 16:01:10
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
15
10
5
0
-5
-10
MK - NL
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 42 created 07-OCT-2005 16:01:10
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
0
-10
-20
-30
MK - OV
1.0
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 43 created 07-OCT-2005 16:01:11
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
40
30
20
10
0
MK - SC
800
700
600
500
400
300
200
100
0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 44 created 07-OCT-2005 16:01:12
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
-20
MK - Y
900
800
700
600
500
400
300
200
100
0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 45 created 07-OCT-2005 16:01:13
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
MK - RZ
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 46 created 07-OCT-2005 16:01:14
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
5
0
-5
-10
NL - OV
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 47 created 07-OCT-2005 16:01:14
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
-20
1.0
NL - SC
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 48 created 07-OCT-2005 16:01:15
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
10
0
-10
NL - Y
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 49 created 07-OCT-2005 16:01:16
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
NL - RZ
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 50 created 07-OCT-2005 16:01:17
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
40
20
0
-20
900
800
700
600
500
400
300
200
100
0
OV - SC
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 51 created 07-OCT-2005 16:01:17
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
20
10
0
-10
-20
1.2
OV - Y
1.0
0.8
0.6
0.4
0.2
IF 2(LL)
0.0
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 52 created 07-OCT-2005 16:01:19
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
OV - RZ
1.8
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 53 created 07-OCT-2005 16:01:19
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
SC - Y
IF 2(LL)
Channels
Lower frame: Milli Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 54 created 07-OCT-2005 16:01:21
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
SC - RZ
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00


Plot file version 55 created 07-OCT-2005 16:01:22
VS09J.UVSRT.1
Freq = 4.9820 GHz, Bw = 16.000 MH Calibrated with CL # 4 but no bandpass applied
100
0
-100
1.8
Y - RZ
1.6
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
IF 2(LL)
0
20
40
60
80
100
120
Channels
Lower frame: Ampl Jy Top frame: Phas deg
Vector averaged cross-power spectrum Several baselines displayed
Timerange: 00/13:20:00 to 00/13:30:00