VSOP PROPOSAL COVER SHEETS

| ID | : |
|----|---|
| | |

TR:

SR:

DEADLINE: 17 November, 1995

SEND TO: VSOP SOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229, JAPAN

Please read Appendix C of Announcement of Opportunity for details on how to fill in this Cover Sheet.

(1) Date prepared: 10 November 1995

(2) Proposal title: Investigation of three gravitational milli-lens candidates

| (3) | INVESTIGATORS | INSTITUTION |
|-------|-----------------|------------------------------------|
| P.I. | Peter Wilkinson | Univ. Manchester, Jodrell Bank, UK |
| co-I. | David Henstock | Univ. Manchester, Jodrell Bank, UK |
| co-I. | | |

(4) Principal Investigator (or contact person) details...

Name: Peter Wilkinson

Address: NRAL Jodrell Bank

:Macclesfield

:Cheshire SK11 9DL

:United Kingdom

Internet: pnw@jb.man.ac.uk

Other e-mail :

 $Fax: \, 44\text{--}1477\text{--}571618$

Telephone: 44-1477-571321

(5) Proposal Abstract:

This is a proposal to examine three of the best gravitational milli-lens candidates amongst 329 flat-spectrum sources examined mainly during the CJ VLBI surveys. After systematic follow—up observations with the VLBA there are relatively few surviving candidates. We propose to observe the best three of these with VSOP at 5 GHz. We desire the maximum resolution in order to match that of ground–based observations at 22 GHz. Two of the three candidates require the Effelsberg and/or the phased VLA to be sure of good SNR to VSOP. If there are no milli-lensed systems amongst the 329 sources then uniformly distributed compact objects in the mass range $10^6-10^9 \rm M_{\odot}$ cannot make a significant contribution to the closure density of the Universe.

| (6) Proposal Category (indicate all that apply): |
|--|
| Object type: |
| $\overrightarrow{\nabla}$ AGN, \square Masers, \square Stellar, \square Other: |
| Experiment type: |
| ✓ Single-observation, ☐ Monitoring, ☐ Polarization, |
| ☐ Time-critical, ☐ Target of Opportunity, ☐ Other: |
| |
| (7) VSOP spacecraft observing mode (see Section 3 and Table 5 of the VSOP Proposer's Guide): |
| 2 channel x 16 MHz, 2-bit (Standard mode), |
| 2 channel x 32 MHz, 1-bit, 1 channel x 32 MHz, 2-bit |
| Phase calibration tones: |
| ∇ On (Standard continuum mode), |
| Off (Standard spectral line mode) |
| (Include justification of any non-standard choice at (14) below) |
| |
| (8) Ground radio telescope setup |
| Polarization: |
| $\overline{\bigvee}$ VSOP Standard (IEEE LCP), \square Non-standard : |
| Recording mode: |
| $\boxed{\hspace{-0.1cm} \bigvee}$ As for VSOP spacecraft (Standard), $\boxed{\hspace{-0.1cm} }$ Other: |
| |
| (9) Investigator participation in scheduling |
| PI (or co-I) wishes to participate in scheduling ground radio telescopes |
| PI (or co-I) wishes to participate in scheduling the space radio telescope |
| |
| (10) Preferred correlator (see Sections 9.11 and 12 of VSOP Proposer's Guide): |
| \square No preference, \square Mitaka, $\boxed{\vee}$ Socorro, \square Other: |
| |
| (11) Preferred post-correlation data analysis location: |
| ☐ Home Institution, ☐ Mitaka, ☐ NRAO AOC, ☑ JIVE, ☐ Other |
| |
| (12) Post-correlation data analysis assistance required: |
| \square None, $\boxed{\checkmark}$ Consultation, $$ Extensive help |
| (10) D + 'l - C |
| (13) Details of proposed experiments An 'experiment' is one or more observations of one source in one wavelength band. |
| A request to observe the same source in all 3 wavelength bands requires 3 columns to be filled in. |
| To observe the same source at the same frequency multiple times – a 'monitoring experiment' – requires |
| only one column to be filled in. |
| Number of experiments in this proposal: 3 |

| | Experiment 1 | Experiment 2 | Experiment 3 | Experiment 4 |
|---|---------------|--------------|--------------|--------------|
| Source name | B0738+313 | B0740+768 | B1809+568 | - |
| RA (hh mm ss.s) | 074110.70368 | 074714.62258 | 181003.32027 | |
| Dec (dd mm ss) | 311200.2258 | 763917.2644 | 564922.9587 | |
| J2000 or B1950? | J2000 | J2000 | J2000 | |
| Observing frequency band (GHz) | 5 | 5 | 5 | |
| Continuum observations: | | | | |
| Standard VSOP freq. channels? | | l√l | | |
| Channel A range (MHz) | | | | |
| Channel B range (MHz) | | | | |
| Spectral line observations: | | | | |
| Ch.A spectral line rest freq. (MHz) | | | | |
| Ch.A LSR velocity (km/s) | | | | |
| Ch.B spectral line rest freq. (MHz) | | | | |
| Ch.B LSR velocity (km/s) | | | | |
| Min. spectral channels per IF channel | | | | |
| Correlator averaging time (sec) | | | | |
| FWHM of field of view required (mas) | | | | |
| No. of correlating passes (if >1) | | | | |
| Measured total flux density (Jy) | 2.6 | 0.59 | 0.58 | |
| Measured correlated flux density | | | | |
| on > 5000 km baseline (Jy) | 0.6 (15 GHz) | 0.2 | 0.2 | |
| Image RMS needed (mJy/beam) | 0.1 | 0.1 | 0.1 | |
| Ground Radio Telescopes: | | | | |
| Preferred choice: | | | | |
| Number of medium telescopes | 17 | 17 | 17 | |
| Number of large telescopes | 2 | 2 | 2 | |
| Suggested array given at Item (14) | | | | |
| Minimum acceptable: | | | | |
| Number of medium telescopes | 5-10 | 5-10 | 5-10 | |
| Number of large telescopes | 0 | 1 | 1 | |
| Suggested array given at Item (14) | $ \nabla$ | | $ \nabla$ | |
| Length of observation: | | | | |
| Preferred length (orbits) | 2 | 2 | 2 | |
| Minimum acceptable length (orbits) | 2 | 2 | 2 | |
| Scheduling constraints: | | | | |
| Preferred P.A. of beam major axis (deg) | ~ 90 | ~ 20 | ~ 65 | |
| 'No holes' (u,v) coverage? | | | | |
| Or maximum resolution (u,v) coverage? | V | V | V | |
| Preferred range of dates for scheduling | 97-08-28 | 97-04-01 | 97-01-01 | |
| (for monitoring experiments give | to | to | to | to |
| range for 1st observation only) | 98-03-31 | 98-04-31 | 97-05-31 | |
| For monitoring programs: | | | | |
| Number of observations | | | | |
| Mean interval (days) | | | | |
| Acceptable variance from mean (days) | | | | |

(14) Additional notes to the scheduler:

```
Exp 1: Pref. array = EVN+VLBA
Exp 2: Pref. array = EVN+VLBA+Y27
Exp 3: Pref. array = EVN+VLBA+Y27
Exp 1: Min. array = EVN or VLBA+Y27
Exp 2: Min. array = EVN or VLBA+Y27
```

(15) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of figures. Up to one page of (u,v) plots per source may optionally be included. (Refer to the VSOP Announcement of Opportunity for detailed instructions.) Preprints and reprints will not be forwarded to the Scientific Review Committee.

Send two paper copies of the complete proposal to:

VSOP Observing Proposals VSOP Science Operations Group Institute of Space and Astronautical Science 3-1-1 Yoshinodai, Sagamihara Kanagawa 229 JAPAN

In addition, e-mail the completed LATEX file to submit@vsopgw.isaslan1.isas.ac.jp

Cover Sheets of accepted proposals will be made available to the astronomical community.

Proposals must be received at ISAS by 17 November 1995