VSOP PROPOSAL COVER SHEETS

TR:

ID :

SR:

DEADLINE: 17 November, 1995

SEND TO: VSOP SOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229, JAPAN

Please read Appendix C of Announcement of Opportunity for details on how to fill in this Cover Sheet.

(1) Date prepared : 3 Nov 1995

(2) Proposal title : Nanoarcsecond Study of the Vela Pulsar

| (3) | INVESTIGATORS | INSTITUTION |
|-------|-----------------------------|------------------------|
| P.I. | C.R. Gwinn | UC Santa Barbara |
| co-I. | M.C. Britton | UC Santa Barbara |
| co-I. | J.E. Reynolds, D.L. Jauncey | ATNF |
| co-I. | C.E. Flanigan | Hartebeesthoek R.A.O. |
| co-I. | P.M. McCulloch | University of Tasmania |
| co-I. | R.A. Preston | JPL |
| co-I. | | |
| co-I. | | |
| co-I. | | |

(4) Principal Investigator (or contact person) details...

Name : Carl Gwinn Address : Physics Dept., Broida Hall Other e-mail : :UC Santa Barbara :Santa Barbara, CA 93106 : USA

Internet cgwinn@condor.physics.ucsb.edu Fax : 1-805-893-8597 Telephone : 1-805-893-2814

:

(5) Proposal Abstract :

We propose VSOP observations of the Vela pulsar in the speckle limit of interstellar scattering. We plan to use scattering material in the Vela supernova remnant surrounding the pulsar as a lens with a diameter of 4 AU, to image the pulsar with angular resolution of 20 nanoarcseconds. We expect that these observations will improve understanding of the magnetospheres and emission mechanisms of radio pulsars.

| (6) Proposal Category (indicate all that apply): |
|--|
| Object type: |
| \square AGN, \square Masers, \square Stellar, \checkmark Other : Pulsar |
| Experiment type: |
| \checkmark Single-observation, \square Monitoring, \checkmark Polarization, \square Time-critical, \square Target of Opportunity, \square Other : |
| Time-critical, Target of Opportunity, Other : |
| |
| (7) VSOP spacecraft observing mode (see Section 3 and Table 5 of the VSOP Proposer's Guide): |
| |
| $\boxed{2}$ channel x 32 MHz, 1-bit, |
| ✓ 2 channel x 16 MHz, 2-bit (Standard mode), 2 channel x 32 MHz, 1-bit, 1 channel x 32 MHz, 2-bit |
| Phase calibration tones: |
| \Box On (Standard continuum mode), |
| ∇ Off (Standard spectral line mode) |
| (Include justification of any non-standard choice at (14) below $)$ |
| |
| (8) Ground radio telescope setup |
| Polarization : |
| VSOP Standard (IEEE LCP), 🗹 Non-standard : Standard, plus RCP at 2-pol'n GRTs |
| Recording mode : |
| As for VSOP spacecraft (Standard), \bigtriangledown Other : Standard, plus RCP at 2-pol'n GRTs |
| |
| (9) Investigator participation in scheduling |
| |
| \bigvee PI (or co-I) wishes to participate in scheduling ground radio telescopes PI (or co-I) wishes to participate in scheduling the space radio telescope |
| I I (of co-i) wishes to participate in scheduling the space radio telescope |
| |
| (10) Preferred correlator (see Sections 9.11 and 12 of VSOP Proposer's Guide): |
| \square No preference, \square Mitaka, \checkmark Socorro, \square Other : |
| |
| (11) Preferred post-correlation data analysis location: |
| \checkmark Home Institution, \square Mitaka, \square NRAO AOC, \square JIVE, \square Other |
| |
| (12) Post-correlation data analysis assistance required: |
| \square None, \checkmark Consultation, \square Extensive help |
| |
| (13) Details of proposed experiments |
| An 'experiment' is one or more observations of one source in one wavelength band. |
| A request to observe the same source in all 3 wavelength bands requires 3 columns to be filled in. |

To observe the same source at the same frequency multiple times – a 'monitoring experiment' – requires only one column to be filled in.

Number of experiments in this proposal: 1

| | Experiment 1 | Experiment 2 | Experiment 3 | Experiment 4 |
|--|---------------|--------------|--------------|--------------|
| Source name | Vela Pulsar | Enperiment 2 | Emperiment 9 | |
| RA (hh mm ss.s) | 08:35:20.68 | | | |
| Dec (dd mm ss) | -45:10:35.8 | | | |
| J2000 or B1950? | J2000 | | | |
| Observing frequency band (GHz) | 1.6 GHz | | | |
| Continuum observations: | 1.0 GIIZ | | | |
| | | | | |
| Standard VSOP freq. channels? | ∇ | | | |
| Channel A range (MHz) | | | | |
| Channel B range (MHz) | | | | |
| Spectral line observations: | | | | |
| Ch.A spectral line rest freq. (MHz) | Any | | | |
| Ch.A LSR velocity (km/s) | spectral | | | |
| Ch.B spectral line rest freq. (MHz) | range | | | |
| Ch.B LSR velocity (km/s) | 1.66-1.7 GHz | | | |
| Min. spectral channels per IF channel | 1024 | | | |
| Correlator averaging time (sec) | 5 | | | |
| FWHM of field of view required (mas) | 5 | | | |
| No. of correlating passes $(if > 1)$ | 4 (gates) | | | |
| Measured total flux density (Jy) | 1.1 Jy | | | |
| Measured correlated flux density | | | | |
| on > 5000 km baseline (Jy) | 1.1 Jy (100%) | | | |
| Image RMS needed (mJy/beam) | | | | |
| Ground Radio Telescopes: | | | | |
| Preferred choice: | | | | |
| Number of medium telescopes | 8 | | | |
| Number of large telescopes | 2 | | | |
| Suggested array given at Item (14) | ∇ | | | |
| Minimum acceptable: | | | | |
| Number of medium telescopes | 2 | | | |
| Number of large telescopes | 1 | | | |
| Suggested array given at Item (14) | | | | |
| Length of observation: | | | | |
| Preferred length (orbits) | 3 | | | |
| Minimum acceptable length (orbits) | 1 | | | |
| Scheduling constraints: | 1 | | | |
| Preferred P.A. of beam <i>major</i> axis (deg) | | | | |
| 'No holes' (u,v) coverage? | | | | |
| | | | | |
| Or maximum resolution (u,v) coverage? Preferred range of dates for scheduling | | | | |
| | to | to | to | to |
| (for monitoring experiments give | to | to | to | to |
| range for 1st observation only) | | | | |
| For monitoring programs: | | | | |
| Number of observations | | | | |
| Mean interval (days) | | | | |
| Acceptable variance from mean (days) | | | | |

(14) Additional notes to the scheduler :

We wish to observe in standard VSOP mode, and to record RCP as well at those ground radio telescopes capable of recording both polarizations.

We wish to observe in spectral-line mode to observe pulsar scintillations; any frequency between 1.66 and 1.73 GHz is usable.

We request correlation with pulsar gating, if it is operational at Socorro or Mitaka. If gating is operational, we wish to correlate with 4 gates.

We suggest as a preferred array the large telescopes TI PA, and the medium telescopes HO HT VLBA.

We suggest as a preferred minimum array the large telescope TI and the medium telescopes HO HT.

(15) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of figures. Up to one page of (u,v) plots per source may optionally be included. (Refer to the VSOP Announcement of Opportunity for detailed instructions.) Preprints and reprints will not be forwarded to the Scientific Review Committee.

Send two paper copies of the complete proposal to:
VSOP Observing Proposals
VSOP Science Operations Group
Institute of Space and Astronautical Science
3-1-1 Yoshinodai, Sagamihara
Kanagawa 229 JAPAN
In addition, e-mail the completed LATEX file to submit@vsopgw.isaslan1.isas.ac.jp

Cover Sheets of accepted proposals will be made available to the astronomical community.

Proposals must be received at ISAS by 17 November 1995