VSOP AO2 PROPOSAL COVER SHEETS

DEADLINE: 8 May, 1998

SEND TO: VSOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229-8510, JAPAN

Please read Appendix C of Announcement of Opportunity for details on how to fill in this Cover Sheet.

(1) Date prepared: 28 April 1998

(2) Proposal title: Brightness Temperatures of the Most Compact TDRSS Sources

(3)	INVESTIGATORS	INSTITUTION
P.I.	Roger P. Linfield	Jet Propulsion Laboratory, USA
co-I.	James S. Ulvestad	National Radio Astronomy Observatory, USA
co-I.		

(4) Principal Investigator (or contact person) details...

Name: Roger P. Linfield Address: Mail Stop 238-600

E-mail: rpl@logos.jpl.nasa.gov : Jet Propulsion Laboratory
Eax : 1.818-393-4965 : Pasadena, CA 91109

Fax : 1-818-393-4965 : Pasa Phone : 1-818-354-2806 : USA

.

(5) Proposal Abstract:

We propose to complete our VSOP imaging of the four most compact sources observed at 2.3 GHz in the TDRSS space VLBI observations by observing the two remaining sources: 1921–293 and 2216–038. Our purpose is to make accurate measurements of the brightness temperatures of these sources at both 1.6 and 5 GHz. By observing with the VLBA on the ground, our calibration accuracy (due to uniform, well-understood ground antennas, and to the multiple crossing points available with good u-v coverage) will be superior to that expected for the VSOP survey. For the most compact sources, good calibration accuracy on the longest space-ground baselines is crucial in making accurate brightness temperature measurements. Our proposal (in the first AO period) for the other two sources, 0420–014 and 1519–273 was accepted, and the observations have been scheduled.

available with good u-v coverage) will be superior to that expected for the VSOP survey. For the most compact sources, good calibration accuracy on the longest space-ground baselines is crucial in making accurate brightness temperature measurements. Our proposal (in the first AO period) for the other two sources, 0420–014 and 1519–273 was accepted, and the observations have been scheduled.
(6) Proposal Category (indicate all that apply): Object type: ✓ AGN, ☐ Maser, ☐ Stellar, ☐ Pulsar, ☐ Other: Observation type: ✓ Continuum, ☐ Spectral Line, ☐ Polarization, ☐ Time-critical, ☐ Other:

(7) Number of proposed experiments

An 'experiment' is one or more observations of one source at a fixed HALCA set-up. A request to observe the same source at 1.6 GHz and separately at 5 GHz requires two columns to be filled in in item (8) below. A request to observe the same source with HALCA simultaneously observing at 1.6 GHz and 5 GHz requires one column to be filled in. Multi-epoch observations of the same source at the same frequency – a 'monitoring experiment' – requires only one column to be filled in. Suggested observing dates, especially for for time-critical and monitoring experiments, should be specified in item (10).

The number of experiments in this proposal is: 4

(8) Details of proposed experiments

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name $(Jhhmm \pm ddmm)$	J1924-2914	J1924-2914	J2218-0335	J2218-0335
Alternative name	1921-293	1921-293	2216-038	2216-038
RA(J2000) (hh mm ss.ssss)	19 24 51.0560	19 24 51.0560	22 18 52.0377	22 18 52.0377
Dec(J2000) (dd mm ss.ssss)	-29 14 30.1207	-29 14 30.1207	-03 35 36.8792	-03 35 36.8792
Observing frequency band (GHz)	1.6	5	1.6	5
Continuum observations:				
Standard VSOP freq. channels?		$ \nabla$		
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)				
Min. spectral channels per IF channel				
Correlator averaging time (sec)				
No. of correlating passes (if >1)				
Total flux density (Jy)	5.7	10.6	2.0	3.6
Correlated flux (mJy)	3000	5000	1500	2000
Ground Radio Telescopes:				
Suggested array given at Item (10)?			V	$\sqrt{}$
GRT observing mode:				
128Mbps LCP (standard)		✓	$ \nabla$	
128Mbps LCP/RCP				
256Mbps LCP/RCP				
Preferred correlator:				
No preference				
Mitaka				
Penticton				
Socorro	abla	abla	$\overline{\vee}$	$\overline{\lor}$
Monitoring programs:				
Number of observations				
Mean interval (days)				
Related AO1 proposal code(s)	v008	v008	v008	v008

(9) VSOP spacecraft observing mode (see Section 3 and Table 5 of the VSOP Proposer's Guide):
$ \nabla $ 2 channel x 16 MHz, 2-bit (Standard mode),
Other:
Phase calibration tones:
$ \nabla $ On (Standard continuum mode),
Off (Standard continuum mode),
(Include justification of any non-standard choice at (10) below)
(10) Additional notes to the scheduler:
We prefer the use of the VLBA, in order to obtain a mix of long earth baselines. The short
VLBA spacings are not needed for our experiment, so a subset of the VLBA is acceptable.
(11) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of
figures. Up to one page of (u,v) plots per source may optionally be included.
(Refer to the VSOP Announcement of Opportunity for detailed instructions.)
Preprints and reprints will not be forwarded to the Scientific Review Committee.
Send two paper copies of the complete proposal to:
VSOP Observing Proposals
VSOP Science Operations Group

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

Proposals must be received at ISAS by 8 May 1998

3-1-1 Yoshinodai, Sagamihara Kanagawa 229-8510 JAPAN

Institute of Space and Astronautical Science

In addition, e-mail the completed LATEX file to submit@vsop.isas.ac.jp