VSOP AO2 PROPOSAL COVER SHEETS

DEADLINE: 8 May, 1998

SEND TO: VSOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229-8510, JAPAN

Please read Appendix C of Announcement of Opportunity for details on how to fill in this Cover Sheet.

(1) Date prepared: 1998, May 1

(2) Proposal title: VSOP monitoring of superluminal source 1642+690

(3)	INVESTIGATORS INSTITUTION		
P.I.	Preston, R.	Jet Propulsion Laboratory, USA	
co-I.	Venturi, T.	Istituto di Radioastronomia del CNR, Italy	
co-I.	Tingay, S., Murphy, D., Meier, D., Jones, D.	Jet Propulsion Laboratory, USA	
co-I.			

(4) Principal Investigator (or contact person) details...

Name: Robert A. Preston Address: Jet Propulsion Laboratory

E-mail: rap@sgra.jpl.nasa.gov : MS238-332

Fax : +1 818 393 6890 : 4800 Oak Grove Drive Phone : +1 818 354 6895 : Pasadena, 91109

: USA

(5) Proposal Abstract:

We propose to monitor 1642+690 at 3 epochs over a 12 month timescale at 5GHz, using VSOP in conjunction with the VLBA, in order to follow the morphological changes in this interesting superluminal blazar at high resolution. The superluminal expansion of the components in 1642+690 cannot be explained in terms of constant speed, and it is likely that projection effects on plasma moving along a helical path may cause the peculiar changes observed with ground-based observations. Also, 1642+690 is an example of a highly beamed blazar which has not been detected in >100 MeV γ -rays. As such, VSOP observations may help elucidate the differences between the γ -ray loud blazars and γ -ray quiet blazars. The source is well placed in the sky for good VSOP monitoring, providing good 2-dimensional u-v coverage with no sun-angle constraints.

been detected in >100 MeV γ -rays. As such, VSOP observations may help elucidate the differences between the γ -ray loud blazars and γ -ray quiet blazars. The source is well placed in the sky for good VSOP monitoring, providing good 2-dimensional u - v coverage with no sun-angle constraints.	
(6) Proposal Category (indicate all that apply): Object type: ☑ AGN, ☐ Maser, ☐ Stellar, ☐ Pulsar, ☐ Other: Observation type: ☑ Continuum, ☐ Spectral Line, ☐ Polarization, ☐ Time-critical, ☐ Other:	

(7) Number of proposed experiments

An 'experiment' is one or more observations of one source at a fixed HALCA set-up. A request to observe the same source at 1.6 GHz and separately at 5 GHz requires two columns to be filled in in item (8) below. A request to observe the same source with HALCA simultaneously observing at 1.6 GHz and 5 GHz requires one column to be filled in. Multi-epoch observations of the same source at the same frequency – a 'monitoring experiment' – requires only one column to be filled in. Suggested observing dates, especially for for time-critical and monitoring experiments, should be specified in item (10).

The number of experiments in this proposal is: 1

(8) Details of proposed experiments

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name $(Jhhmm \pm ddmm)$	J1642+6856			
Alternative name	1642+690			
RA(J2000) (hh mm ss.ssss)	16 42 07.8485			
Dec(J2000) (dd mm ss.ssss)	68 56 39.756			
Observing frequency band (GHz)	5			
Continuum observations:				
Standard VSOP freq. channels?				
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)				
Min. spectral channels per IF channel	128			
Correlator averaging time (sec)				
No. of correlating passes $(if > 1)$				
Total flux density (Jy)	2.5			
Correlated flux (mJy)	1400			
Ground Radio Telescopes:				
Suggested array given at Item (10)?				
$GRT\ observing\ mode:$				
128Mbps LCP (standard)				
128Mbps LCP/RCP				
$256 \mathrm{Mbps}\ \mathrm{LCP/RCP}$				
Preferred correlator:				
No preference				
Mitaka				
Penticton				
Socorro				
Monitoring programs:				
Number of observations	3			
Mean interval (days)	180			
Related AO1 proposal code(s)	V030			

(9) VSOP spacecraft observing mode (see Section 3 and Table 5 of the VSOP Proposer's Guide):
$ \nabla $ 2 channel x 16 MHz, 2-bit (Standard mode),
Other:
Phase calibration tones:
∇ On (Standard continuum mode),
Off (Standard spectral line mode)
(Include justification of any non-standard choice at (10) below)
(include Justinearies of any field standard entered at (10) states)
(10) Additional notes to the scheduler:
We request the VLBA as the ground array for these observations. We have also requested 3 observations of 1642+690, spaced by approximately 6 months (180 days). From FAKESAT simulations, we suggest the epochs of 1998, October, 1999 May and 1999 November.
(11) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of
figures. Up to one page of (u,v) plots per source may optionally be included.
(Refer to the VSOP Announcement of Opportunity for detailed instructions.)
Preprints and reprints will not be forwarded to the Scientific Review Committee.
Send two paper copies of the complete proposal to:
VSOP Observing Proposals
VSOP Science Operations Group

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

Proposals must be received at ISAS by 8 May 1998

3-1-1 Yoshinodai, Sagamihara Kanagawa 229-8510 JAPAN

Institute of Space and Astronautical Science

In addition, e-mail the completed LATEX file to submit@vsop.isas.ac.jp