

VSOP AO2 PROPOSAL COVER SHEETS

DEADLINE : 8 May, 1998

SEND TO : VSOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229-8510, JAPAN

Please read Appendix C of Announcement of Opportunity for details on how to fill in this Cover Sheet.

(1) Date prepared : May 3, 1998

(2) Proposal title : High resolution imaging of the helical jet in the BL Lac 1803+784

(3)	INVESTIGATORS	INSTITUTION
P.I.	T.P. Krichbaum	MPIfR, Bonn, Germany
co-I.	A. Witzel	MPIfR, Bonn, Germany
co-I.	J.A. Zensus	MPIfR, Bonn, Germany
co-I.	S. Britzen	NFRA, Dwingeloo, The Netherlands
co-I.		
co-I.		
co-I.		
co-I.		
co-I.		

(4) Principal Investigator (or contact person) details...

Name : T.P. Krichbaum

E-mail : tkrichbaum@mpifr-bonn.mpg.de

Fax : 0049-228-525-229

Phone : 0049-228-525-295

Address : MPIfR

:Auf dem Hügel 69

:D-53121 Bonn

:Germany

:

(5) Proposal Abstract :

Ground based 90/18 cm VLBI maps of the BLLac 1803+78 show a complex jet bending to the north, while VLA and WSRT maps reveal a north-south oriented structure, misaligned with the VLBI jet by $\sim 80^\circ$. On sub-mas to mas-scales the inner jet components move along a three-dimensionally bent and probably helical path. With the proposed experiment we intend to follow the helical oscillations of the jet axis towards larger core separations in order to relate the jet bending seen in the inner jet with the strong curvature seen further out. Since the amplitude of the transverse oscillations of the jet axis lie below the resolution limit for ground based VLBI at 18 cm, space-VLBI will give us the unique opportunity to study this effect also at long cm-wavelengths and large core separations. With this we will be able to test the model of conical helical jets proposed e.g. by Conway and Murphy 1993, and Steffen et al. 1995.

(6) Proposal Category (indicate all that apply):

Object type:

☒ AGN, ☐ Maser, ☐ Stellar, ☐ Pulsar, ☐ Other :

Observation type:

☒ Continuum, ☐ Spectral Line, ☐ Polarization, ☐ Time-critical, ☐ Other :

(7) Number of proposed experiments

An ‘experiment’ is one or more observations of one source at a fixed HALCA set-up. A request to observe the same source at 1.6 GHz and separately at 5 GHz requires two columns to be filled in in item (8) below. A request to observe the same source with HALCA simultaneously observing at 1.6 GHz and 5 GHz requires one column to be filled in. Multi-epoch observations of the same source at the same frequency – a ‘monitoring experiment’ – requires only one column to be filled in. Suggested observing dates, especially for for time-critical and monitoring experiments, should be specified in item (10).

The number of experiments in this proposal is: 1

(8) Details of proposed experiments

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name (<i>Jhhmm±ddmm</i>)	J1800+7828			
Alternative name	1803+784			
RA(J2000) (hh mm ss.ssss)	18:00:45.6840			
Dec(J2000) (dd mm ss.ssss)	+78:28:04.0182			
Observing frequency band (GHz)	1.6			
<i>Continuum observations:</i>				
Standard VSOP freq. channels?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Channel A range (MHz)				
Channel B range (MHz)				
<i>Spectral line observations:</i>				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)				
Min. spectral channels per IF channel				
Correlator averaging time (sec)				
No. of correlating passes (if > 1)				
Total flux density (Jy)	2.0			
Correlated flux (mJy)	0.8			
<i>Ground Radio Telescopes:</i>				
Suggested array given at Item (10)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>GRT observing mode:</i>				
128Mbps LCP (standard)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
256Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Preferred correlator:</i>				
No preference	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mitaka	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Penticton	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Socorro	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Monitoring programs:</i>				
Number of observations				
Mean interval (days)				
Related AO1 proposal code(s)	V053			

(9) VSOP spacecraft observing mode (see Section 3 and Table 5 of the VSOP Proposer's Guide):

- ☒ 2 channel x 16 MHz, 2-bit (Standard mode),
☐ Other:

Phase calibration tones:

- ☒ On (Standard continuum mode),
☐ Off (Standard spectral line mode)

(Include justification of any non-standard choice at (10) below)

(10) Additional notes to the scheduler :

Suggested Ground Array: VLBA

Preferred dates of scheduling: uv-coverage is best in Oct. 98, July-Oct. 1999.

(11) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of figures. Up to one page of (u,v) plots per source may optionally be included.
(Refer to the VSOP Announcement of Opportunity for detailed instructions.)
Preprints and reprints will not be forwarded to the Scientific Review Committee.

Send two paper copies of the complete proposal to:

VSOP Observing Proposals
VSOP Science Operations Group
Institute of Space and Astronautical Science
3-1-1 Yoshinodai, Sagami-hara
Kanagawa 229-8510 JAPAN

In addition, e-mail the completed L^AT_EX file to submit@vsop.isas.ac.jp

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

Proposals must be received at ISAS by 8 May 1998