VSOP AO2 PROPOSAL COVER SHEETS

DEADLINE: 8 May, 1998

SEND TO: VSOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229-8510, JAPAN

(1) Date prepared: 07-May-1998

(2) Proposal title: The Jet of SS 433

(3)	INVESTIGATORS	INSTITUTION
P.I.	T. Kotani	RIKEN, Japan
co-I.	T. Oka	RIKEN, Japan
co-I.	N. Kawai	RIKEN, Japan
co-I.	M. Namiki	RIKEN, Japan
co-I.	M. Matsuoka	RIKEN, Japan
co-I.	T. Tsutsumi	NAO, Mitaka, Japan
co-I.	W. Brinkman	MPE, Germany
co-I.	D. Band	UCSD, U.S.A.
co-I.		

(4) Principal Investigator (or contact person) details...

Address: The Institute of Physical and

Name : Taro Kotani Chemical Research (RIKEN)
E-mail : kotani@postman.riken.go.jp : 2-1 Hirosawa, Wako
Fax : +81-48-462-1111 ex.3227 : Saitama 351-0198

Phone: +81-48-462-4640 : Japan

.

(5) Proposal Abstract:

SS433 is one of VSOP's most promising and challenging targets because of the radio-bright jet structure. A series of observations with intervals of < 1 day will reveal evolution of jet blobs within 1 day, or 10 AU. The central engine and each blob will be resolved, and parameters of the jet such as mass, density, electron energy, magnetic field will be constrained. The unknown brightening mechanism of blobs at 4×10^{15} cm from the jet engine will be explored. Decreasing-optical-depth mechanisms would be accompanied by expansion of blobs, while particle-injection scenarios would not necessarily. Distance, velocity, and inclination will be determined precisely by a method applicable only to this source. This observation would provide us a comprehensive understanding of the hierarchy of the jet structure, and of astrophysical jet phenomena ranging from binaries like GRS 1915+105 to AGN.

nom binaries like GItb 1510 100 to 11GIV.
6) Proposal Category (indicate all that apply):
Object type:
\square AGN, \square Maser, $ ewline$ Stellar, \square Pulsar, \square Other:
Observation type:
$\boxed{\hspace{-0.1cm} \bigvee}$ Continuum, $\boxed{\hspace{-0.1cm}}$ Spectral Line, $\boxed{\hspace{-0.1cm}}$ Polarization, $\boxed{\hspace{-0.1cm}}$ Time-critical, $\boxed{\hspace{-0.1cm}}$ Other :

(7) Number of proposed experiments

An 'experiment' is one or more observations of one source at a fixed HALCA set-up. A request to observe the same source at 1.6 GHz and separately at 5 GHz requires two columns to be filled in in item (8) below. A request to observe the same source with HALCA simultaneously observing at 1.6 GHz and 5 GHz requires one column to be filled in. Multi-epoch observations of the same source at the same frequency – a 'monitoring experiment' – requires only one column to be filled in. Suggested observing dates, especially for for time-critical and monitoring experiments, should be specified in item (10).

The number of experiments in this proposal is: 1

(8) Details of proposed experiments

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name $(Jhhmm \pm ddmm)$	J1911+0458			
Alternative name	SS 433			
RA(J2000) (hh mm ss.ssss)	19 11 49.4843			
Dec(J2000) (dd mm ss.ssss)	$+4\ 58\ 57.771$			
Observing frequency band (GHz)	1.6/5			
Continuum observations:				
Standard VSOP freq. channels?			П	$ \Box$
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)				
Min. spectral channels per IF channel	32			
Correlator averaging time (sec)	2			
No. of correlating passes (if >1)				
Total flux density (Jy)	> 0.5			
Correlated flux (mJy)	> 280			
Ground Radio Telescopes:				
Suggested array given at Item (10)?				
GRT observing mode:				
128Mbps LCP (standard)				
128Mbps LCP/RCP				
$256 \mathrm{Mbps}\ \mathrm{LCP/RCP}$				
Preferred correlator:				
No preference				
Mitaka				
Penticton				
Socorro				
Monitoring programs:				
Number of observations	5			
Mean interval (days)	< 0.5			
Related AO1 proposal code(s)				

(9) VSOP spacecraft observing mode (see Section 3 and Table 5 of the VSOP Proposer's Guide):
$\boxed{\hspace{0.1cm}}$ 2 channel x 16 MHz, 2-bit (Standard mode),
Other:
Phase calibration tones:
∇ On (Standard continuum mode),
Off (Standard spectral line mode)
(Include justification of any non-standard choice at (10) below)
(10) Additional notes to the scheduler:
Monitoring intervals should be less than a day, since the evolving speed is so high (~ 10
mas/day). If possible, a continuous observation over a couple of days is desirable. To make
sure detection of blobs, participation of the VLA, VLBA, and Effelsberg is desired.
(11) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of
figures. Up to one page of (u,v) plots per source may optionally be included.
(Refer to the VSOP Announcement of Opportunity for detailed instructions.)
Preprints and reprints will not be forwarded to the Scientific Review Committee.
r reprintes and reprintes will not be forwarded to the scienting review Committee.
Sand two paper gaping of the complete proposal to:
Send two paper copies of the complete proposal to:
VSOP Observing Proposals
VSOP Science Operations Group

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

Proposals must be received at ISAS by 8 May 1998

3-1-1 Yoshinodai, Sagamihara Kanagawa 229-8510 JAPAN

Institute of Space and Astronautical Science

In addition, e-mail the completed LATEX file to submit@vsop.isas.ac.jp