VSOP AO2 PROPOSAL COVER SHEETS

DEADLINE : 8 May, 1998 SEND TO : VSOG, ISAS, 3-1-1 Yoshinodai	, Sagamihara, Kanagawa 229-8510, JAPAN			
(1) Date prepared: 8-May-1998				
(2) Proposal title: Fine Structure of Gamma-ray Flare NRAO 190				
(3) INVESTIGATORS	INSTITUTION			
P.I. Junichi Nakajima	CRL, Japan			
co-I.	, ,			
co-I.				
(4) Principal Investigator (or contact person) details				
Name: Junichi Nakajima E-mail: nakaji@crl.go.jp Fax: +81-299-84-7159 Phone: +81-299-84-7145	Address: Communications Res. Lab. : Kashima : 893 Hirai Kashima-city Ibaraki : 314-0012 Japan			
(5) Proposal Abstract:	:			
object. The core-dominated continuum sour accompanied with the gamma-ray events wer vation of the NRAO190 is planned in the VS	rce, the strong candidate of gamma-ray flare-up rce did not resolved and no significant structure re confirmed in present observations. 5GHz obsersOP Survey program. We propose to perform an tion to obtain detail structure and follow up the t.			
(6) Proposal Category (indicate all that appropriate type: V AGN, Maser, Stellar, Proposervation type: V Continuum Spectral Line F				

(7) Number of proposed experiments

The number of experiments in this proposal is: 2

(8) Details of proposed experiments

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name $(Jhhmm \pm ddmm)$	J0442-00	J0442-00		
Alternative name	NRAO190	NRAO190		
RA(J2000) (hh mm ss.ssss)	04 42 38.6607	04 42 38.6607		
Dec(J2000) (dd mm ss.ssss)	-00 17 43.419	-00 17 43.419		
Observing frequency band (GHz)	1.6	5		
Continuum observations:				
Standard VSOP freq. channels?				
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)				
Min. spectral channels per IF channel	32	32		
Correlator averaging time (sec)				
No. of correlating passes (if >1)				
Total flux density (Jy)	1443	1613		
Correlated flux (mJy)	1356	903		
Ground Radio Telescopes:				
Suggested array given at Item (10)?				
GRT observing mode:				
128Mbps LCP (standard)				
$128 \mathrm{Mbps}\ \mathrm{LCP/RCP}$				
$256 \mathrm{Mbps}\ \mathrm{LCP/RCP}$				
Preferred correlator:				
No preference				
Mitaka				
Penticton				
Socorro				
Monitoring programs:				
Number of observations				
Mean interval (days)				
Related AO1 proposal code(s)				

(9) VSOP spacecraft observing mode (see Section 3 and Table 5 of the VSOP Proposer's Guide): $\boxed{\checkmark}$ 2 channel x 16 MHz, 2-bit (Standard mode),
Other:
Phase calibration tones:
∇ On (Standard continuum mode),
Off (Standard spectral line mode)
(Include justification of any non-standard choice at (10) below)
(
(10) Additional notes to the scheduler:
5GHz and 1.6GHz observation should be allocated in adjacent schedule. Both obsevation should separated as long as possible from 5GHz survey observation program.
Preprints and reprints will not be forwarded to the Scientific Review Committee.
Sand two paper capies of the complete proposal to:
VSOP Science Operations Group
separated as long as possible from 5GHz survey observation program. (11) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of figures. Up to one page of (u,v) plots per source may optionally be included. (Refer to the VSOP Announcement of Opportunity for detailed instructions.) Preprints and reprints will not be forwarded to the Scientific Review Committee. Send two paper copies of the complete proposal to: VSOP Observing Proposals

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

Proposals must be received at ISAS by 8 May 1998

3-1-1 Yoshinodai, Sagamihara Kanagawa 229-8510 JAPAN

Institute of Space and Astronautical Science

In addition, e-mail the completed LATEX file to submit@vsop.isas.ac.jp