

# VSOP AO2 PROPOSAL COVER SHEETS

DEADLINE : 8 May, 1998

SEND TO : VSOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229-8510, JAPAN

(1) Date prepared : 4 May 1998

(2) Proposal title : VSOP Observations of the Jet in 3C273 at 18cm

(3)	INVESTIGATORS	INSTITUTION
P.I.	Richard Davis	NRAL Jodrell Bank, UK
co-I.	Tom Muxlow and Simon Garrington	NRAL Jodrell Bank, UK
co-I.	Steve Unwin	JPL, USA
co-I.		
co-I.		
co-I.		
co-I.		
co-I.		
co-I.		

(4) Principal Investigator (or contact person) details...

Name : Richard Davis  
E-mail : rjd@jb.man.ac.uk  
Fax : +44 1477 571618  
Phone : +44 1477 571321

Address : NRAL Jodrell Bank  
: Macclesfield  
: SK11 9DL  
: UK  
:

(5) Proposal Abstract :

We propose VSOP observations of the quasar 3C273 in order to extend our ground-based VLBI studies of the jet to higher resolution. Global VLBI observations at 18cm have traced the jet out to 200 pc and the superluminal motion continues to the outermost components. Higher resolution observations will allow us to study the complex structure of the jet in detail and determine whether the apparent velocities change along the jet. VSOP observations at 18cm offer the ideal combination of resolution and sensitivity to the extended steep-spectrum jet emission to carry out this study. VSOP observations made in December have yielded good quality data and preliminary images trace the jet out to 80 mas. In order to trace the motions of the jet features we request one further observation in AO2.

(6) Proposal Category (indicate all that apply):

Object type:

☒ AGN, ☐ Maser, ☐ Stellar, ☐ Pulsar, ☐ Other :

Observation type:

☒ Continuum, ☐ Spectral Line, ☐ Polarization, ☐ Time-critical, ☐ Other :

**(7) Number of proposed experiments**

An ‘experiment’ is one or more observations of one source at a fixed HALCA set-up. A request to observe the same source at 1.6 GHz and separately at 5 GHz requires two columns to be filled in in item (8) below. A request to observe the same source with HALCA simultaneously observing at 1.6 GHz and 5 GHz requires one column to be filled in. Multi-epoch observations of the same source at the same frequency – a ‘monitoring experiment’ – requires only one column to be filled in. Suggested observing dates, especially for for time-critical and monitoring experiments, should be specified in item (10).

The number of experiments in this proposal is: 1

**(8) Details of proposed experiments**

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name ( <i>Jhhmm±ddmm</i> )	J1229+0203			
Alternative name	3C273			
RA(J2000) (hh mm ss.ssss)	12 29 6.6997			
Dec(J2000) (dd mm ss.ssss)	02 03 08.5988			
Observing frequency band (GHz)	1.6			
<i>Continuum observations:</i>				
Standard VSOP freq. channels?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Channel A range (MHz)				
Channel B range (MHz)				
<i>Spectral line observations:</i>				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)	200			
Min. spectral channels per IF channel				
Correlator averaging time (sec)	2			
No. of correlating passes (if >1)				
Total flux density (Jy)	35			
Correlated flux (mJy)	1000			
<i>Ground Radio Telescopes:</i>				
Suggested array given at Item (10)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>GRT observing mode:</i>				
128Mbps LCP (standard)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
256Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Preferred correlator:</i>				
No preference	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mitaka	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Penticton	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Socorro	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Monitoring programs:</i>				
Number of observations				
Mean interval (days)				
Related AO1 proposal code(s)	v059			

(9) VSOP spacecraft observing mode (see Section 3 and Table 5 of the VSOP Proposer's Guide):

- ☒ 2 channel x 16 MHz, 2-bit (Standard mode),  
☐ Other:

Phase calibration tones:

- ☒ On (Standard continuum mode),  
☐ Off (Standard spectral line mode)

(Include justification of any non-standard choice at (10) below)

(10) Additional notes to the scheduler :

Correlated flux density estimate refers to measured value at 100 Mlambda from v059 observation  
23 December 1997.  
Preferred Ground Array: EVN, VLBA, GO, HT  
Ideal Observation Date: Feb 1999

(11) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of figures. Up to one page of  $(u,v)$  plots per source may optionally be included.  
(Refer to the VSOP Announcement of Opportunity for detailed instructions.)  
Preprints and reprints will not be forwarded to the Scientific Review Committee.

Send two paper copies of the complete proposal to:

VSOP Observing Proposals  
VSOP Science Operations Group  
Institute of Space and Astronautical Science  
3-1-1 Yoshinodai, Sagami-hara  
Kanagawa 229-8510 JAPAN

In addition, e-mail the completed L<sup>A</sup>T<sub>E</sub>X file to [submit@vsop.isas.ac.jp](mailto:submit@vsop.isas.ac.jp)

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

**Proposals must be received at ISAS by 8 May 1998**