

VSOP AO2 PROPOSAL COVER SHEETS

DEADLINE : 8 May, 1998

SEND TO : VSOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229-8510, JAPAN

(1) Date prepared : May 8, 1998

(2) Proposal title : Polarization Monitoring of γ -ray Blazars at 5 & 1.6 GHz

(3)	INVESTIGATORS	INSTITUTION
P.I.	G. A. Moellenbrock	ISAS, Japan
co-I.	D. H. Roberts	Brandeis University, USA
co-I.	J. F. C. Wardle	Brandeis University, USA
co-I.		
co-I.		
co-I.		
co-I.		
co-I.		
co-I.		

(4) Principal Investigator (or contact person) details...

Name : George A. Moellenbrock

E-mail : gam@vsop.isas.ac.jp

Fax : +81-0427-51-3972

Phone : +81-0427-51-3972

Address : Inst. of Space and Astro. Sci.

:3-1-1 Yoshinodai

:Sagamihara, Kanagawa 229

:Japan

:

(5) Proposal Abstract :

We propose multi-epoch 5 and 1.6 GHz polarization-sensitive VSOP observations of three superluminal γ -ray blazars to further investigate the complex parsec-scale polarization structure we have been monitoring at higher frequencies (8,15,22,43 GHz) with the VLBA. These observations, with high resolution at lower frequencies, will characterize the sharp bends or oscillations in these sources over a larger range of scale than is possible from the ground at higher frequencies. Our ensemble of monitoring observations (including contemporaneous matched-resolution ground-based VLBI) will demonstrate the utility of polarization observations in unraveling complex and evolving jet trajectories. Possible helical structures will be investigated, and the refined shock model of Wardle et al. (1994, ApJ 437, 122) will be applied to constrain the relativistic flow velocities and preferred orientations necessary to explain the gamma-ray emission.

(6) Proposal Category (indicate all that apply):

Object type:

☒ AGN, ☐ Maser, ☐ Stellar, ☐ Pulsar, ☐ Other :

Observation type:

☒ Continuum, ☐ Spectral Line, ☒ Polarization, ☐ Time-critical, ☐ Other :

(7) Number of proposed experiments

An ‘experiment’ is one or more observations of one source at a fixed HALCA set-up. A request to observe the same source at 1.6 GHz and separately at 5 GHz requires two columns to be filled in in item (8) below. A request to observe the same source with HALCA simultaneously observing at 1.6 GHz and 5 GHz requires one column to be filled in. Multi-epoch observations of the same source at the same frequency – a ‘monitoring experiment’ – requires only one column to be filled in. Suggested observing dates, especially for for time-critical and monitoring experiments, should be specified in item (10).

The number of experiments in this proposal is: 6

(8) Details of proposed experiments

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name (<i>Jhhmm±ddmm</i>)	J0237+2848	J0237+2848	J1613+3412	J1613+3412
Alternative name	0234+285	0234+285	1611+343	1611+343
RA(J2000) (hh mm ss.ssss)	02 37 52.4057	02 37 52.4057	16 13 41.0643	16 13 41.0643
Dec(J2000) (dd mm ss.ssss)	28 48 08.9905	28 48 08.9905	34 12 47.9089	34 12 47.9089
Observing frequency band (GHz)	5	1.6	5	1.6
<i>Continuum observations:</i>				
Standard VSOP freq. channels?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Channel A range (MHz)				
Channel B range (MHz)				
<i>Spectral line observations:</i>				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)				
Min. spectral channels per IF channel	32	32	32	32
Correlator averaging time (sec)	2	2	2	2
No. of correlating passes (if >1)				
Total flux density (Jy)	3.4	2.3	2.5	3.6
Correlated flux (mJy)	1500	~1000	2500	~1200
<i>Ground Radio Telescopes:</i>				
Suggested array given at Item (10)?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<i>GRT observing mode:</i>				
128Mbps LCP (standard)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
256Mbps LCP/RCP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<i>Preferred correlator:</i>				
No preference	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mitaka	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Penticton	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Socorro	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<i>Monitoring programs:</i>				
Number of observations	2	2	2	2
Mean interval (days)	200	200	100	100
Related AO1 proposal code(s)	v093c			

	Experiment 5	Experiment 6	Experiment 7	Experiment 8
Source name (<i>Jhhmm±ddmm</i>)	J1635+3808	J1635+3808		
Alternative name	1633+382	1633+382		
RA(J2000) (hh mm ss.ssss)	16 35 15.4930	16 35 15.4930		
Dec(J2000) (dd mm ss.ssss)	38 08 04.5005	38 08 04.5005		
Observing frequency band (GHz)	5	1.6		
<i>Continuum observations:</i>				
Standard VSOP freq. channels?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Channel A range (MHz)				
Channel B range (MHz)				
<i>Spectral line observations:</i>				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)				
Min. spectral channels per IF channel	32	32		
Correlator averaging time (sec)	2	2		
No. of correlating passes (if >1)				
Total flux density (Jy)	3.2	2.7		
Correlated flux (mJy)	500	~2000		
<i>Ground Radio Telescopes:</i>				
Suggested array given at Item (10)?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>GRT observing mode:</i>				
128Mbps LCP (standard)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
256Mbps LCP/RCP	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Preferred correlator:</i>				
No preference	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mitaka	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Penticton	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Socorro	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Monitoring programs:</i>				
Number of observations	2	2		
Mean interval (days)	100	100		
Related AO1 proposal code(s)	v093a			

(9) VSOP spacecraft observing mode (see Section 3 and Table 5 of the VSOP Proposer's Guide):

- ☒ 2 channel x 16 MHz, 2-bit (Standard mode),
☐ Other:

Phase calibration tones:

- ☒ On (Standard continuum mode),
☐ Off (Standard spectral line mode)

(Include justification of any non-standard choice at (10) below)

(10) Additional notes to the scheduler :

-Suggested Ground Array: VLBA+phased-VLA+Effelsberg (maximize polarization sensitivity)
-Suggested epochs:
0234+285: Nov 1998, July 1999
1611+343: Jun 1999, August 1999
1633+382: Jun 1999, August 1999
-Please schedule 1.6 and 5 GHz separately but contemporaneously at each epoch.

-Tracking coverage gaps should be scheduled for polarization position-angle calibration by the ground array alone.

-The 1.6 GHz estimated correlated flux densities are from peak intensities in 2.3 GHz geodetic observations (USNO).

(11) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of figures. Up to one page of (u,v) plots per source may optionally be included.
(Refer to the VSOP Announcement of Opportunity for detailed instructions.)
Preprints and reprints will not be forwarded to the Scientific Review Committee.

Send two paper copies of the complete proposal to:

VSOP Observing Proposals
VSOP Science Operations Group
Institute of Space and Astronautical Science
3-1-1 Yoshinodai, Sagami-hara
Kanagawa 229-8510 JAPAN

In addition, e-mail the completed L^AT_EX file to submit@vsop.isas.ac.jp

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

Proposals must be received at ISAS by 8 May 1998