## **VSOP AO3 PROPOSAL COVER SHEETS**

DEADLINE : 1 October, 1999

SEND TO : VSOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229-8510, JAPAN

(1) Date prepared : October 1, 1999

(2) Proposal title : Complementary Multi-Frequency GPS Survey

(3)	INVESTIGATORS	INSTITUTION
P.I.	Seiji Kameno	VSOP Project, NAO Japan
co-I.	Kiyoaki Wajima	VSOP Project, ISAS Japan
co-I.	Shen Zhi-Qiang	VSOP Project, NAO Japan
co-I.	Makoto Inoue	VSOP Project, NAO Japan
co-I.	Satoko Sawada-Satoh	VSOP Project, NAO Japan
co-I.		

(4) Principal Investigator (or contact person) details...

Name : Seiji Kameno E-mail : kameno@hotaka.mtk.nao.ac.jp	Address : 2-21-1 Osawa, Mitaka, Tokyo : 181-8588 Japan
Fax : +81-422-34-3869	:
Phone : +81-422-34-3607	:
	:
(5) Proposal Abstract :	

GHz-Peaked Spectrum (GPS) sources are compact powerful radio emitters which have spectral peak at GHz frequency, and are considered to be at a young stage of evolution. Our VSOP observations for a GPS source OQ 208 showed that the rising spectrum at lower frequency side is due to free-free absorption by ambient plasma. We are conducting a GPS survey project for 19 samples at 5 frequencies using VSOP and VLBA to examine how common is FFA towards GPSs. We have observed 9 samples at 3 frequencies with VLBA. VSOP observation for 9 samples has also been done or scheduled. Here we propose complementary observations for the rest 28 VSOP experiments which consist of 10 and 18 observations at 1.6 and 5 GHz, respectively, to fill blanks in our survey.

(6) Proposal Category (indicate all that apply):				
Object type:				
$\checkmark$ AGN, $\square$ Maser, $\square$ Stellar, $\square$ Pulsar, $\square$ Other :				
Observation type:				
$\checkmark$ Continuum, $\square$ Spectral Line, $\square$ Polarization, $\square$ Time-critical, $\square$ Other :				

## (7) Number of proposed experiments

An 'experiment' is one or more observations of one source at a fixed HALCA set-up. A request to observe the same source at 1.6 GHz and separately at 5 GHz requires two columns to be filled in in item (8) below. A request to observe the same source with HALCA simultaneously observing at 1.6 GHz and 5 GHz requires one column to be filled in. Multi-epoch observations of the same source at the same frequency – a 'monitoring experiment' – requires only one column to be filled in. Suggested observing dates, especially for for time-critical and monitoring experiments, should be specified in item (11).

The number of experiments in this proposal is: 28

(8)	) Details	of proposed	experiments
-----	-----------	-------------	-------------

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name $(Jhhmm \pm ddmm)$	J0111+3906	J0111+3906	J0203+1134	J0203+1134
Alternative name	0108+388	0108+388	0201+113	0201+113
RA(J2000) (hh mm ss.ssss)	01 11 37.3168	01 11 37.3168	$02 \ 03 \ 46.6570$	$02 \ 03 \ 46.6570$
Dec(J2000) (dd mm ss.ssss)	$+39 \ 06 \ 28.103$	$+39 \ 06 \ 28.103$	$+11 \ 34 \ 45.410$	$+11 \ 34 \ 45.410$
Observing frequency band (GHz)	5	1.6	5	1.6
Continuum observations:				
Standard VSOP freq. channels?			$\overline{\checkmark}$	$\checkmark$
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)	50	50	50	50
Min. spectral channels per IF channel	32	32	32	32
Correlator averaging time (sec)				
No. of correlating passes $(if > 1)$				
Total flux density (Jy)	1.28	0.7	1.20	1.0
Correlated flux (mJy)	200	180 (2.3  GHz)	580 (8.6 GHz)	1100 (2.3  GHz)
Ground Radio Telescopes:				
Suggested array given at Item $(11)$ ?				
GRT observing mode:				
128Mbps LCP (standard)	$\nabla$	$\nabla$	$\overline{\checkmark}$	$\overline{\mathbf{A}}$
128Mbps LCP/RCP				
256 Mbps LCP/RCP				
Preferred correlator:				
No preference	$\overline{\mathbf{A}}$	$\nabla$	$\overline{\mathbf{V}}$	$\nabla$
Mitaka				
Penticton				
Socorro				
Monitoring programs:				
Number of observations				
Mean interval (days)				
Related VSOP proposal code(s)	W071	W071	W071	W071

	Experiment 5	Experiment 6	Experiment 7	Experiment 8
Source name $(Jhhmm \pm ddmm)$	J0241-0815	J0241-0815	J0251+4315	J0503+0203
Alternative name	0238-084	0238-084	0248+430	0500+019
RA(J2000) (hh mm ss.ssss)	02 41 04.7984	$02 \ 41 \ 04.7984$	$02 \ 51 \ 34.5367$	$05 \ 03 \ 21.1971$
Dec(J2000) (dd mm ss.ssss)	-08 15 20.750	-08 15 20.750	$+43 \ 15 \ 15.829$	$+02 \ 03 \ 04.677$
Observing frequency band (GHz)	5	1.6	5	1.6
Continuum observations:				
Standard VSOP freq. channels?	$\nabla$	$\nabla$	$\nabla$	$\overline{\checkmark}$
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)	50	50	50	50
Min. spectral channels per IF channel	32	32	32	32
Correlator averaging time (sec)				
No. of correlating passes $(if > 1)$				
Total flux density (Jy)	1.40	0.82	1.21	2.15
Correlated flux (mJy)	435	770 (2.3 GHz)	500	820 (2.3 GHz)
Ground Radio Telescopes:				
Suggested array given at Item $(11)$ ?				
GRT observing mode:				
128Mbps LCP (standard)	$\nabla$	$\nabla$	$\nabla$	$\overline{\checkmark}$
128 Mbps LCP/RCP				
256 Mbps LCP/RCP				
Preferred correlator:				
No preference	$\nabla$	$\nabla$	$\nabla$	$\overline{\mathbf{V}}$
Mitaka				
Penticton				
Socorro				
Monitoring programs:				
Number of observations				
Mean interval (days)				
Related VSOP proposal code(s)	W071	W071	W071	W071

	Experiment 9	Experiment 10	Experiment 11	Experiment 12
Source name $(Jhhmm \pm ddmm)$	J0503+0203	J0650+6001	J0650+6001	J0741+3112
Alternative name	0500+019	0646 + 600	0646+600	0738+313
RA(J2000) (hh mm ss.ssss)	$05 \ 03 \ 21.1971$	$06 \ 50 \ 31.3555$	$06 \ 50 \ 31.3555$	07 41 10.7033
Dec(J2000) (dd mm ss.ssss)	$+02 \ 03 \ 04.677$	$+60 \ 01 \ 44.546$	$+60 \ 01 \ 44.546$	$+31 \ 12 \ 00.229$
Observing frequency band (GHz)	5	1.6	5	1.6
Continuum observations:				
Standard VSOP freq. channels?	$\overline{\mathbf{A}}$	$\overline{\mathbf{V}}$	$\overline{\mathbf{A}}$	$\overline{\checkmark}$
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity $(km/s)$				
FWHM of field of view required (mas)	50	50	50	50
Min. spectral channels per IF channel	32	32	32	32
Correlator averaging time (sec)				
No. of correlating passes $(if > 1)$				
Total flux density (Jy)	1.88	0.79	2.15	2.10
Correlated flux (mJy)	800	820 (2.3  GHz)	449	2.54 (2.3 GHz)
Ground Radio Telescopes:				
Suggested array given at Item $(11)$ ?				
GRT observing mode:				
128Mbps LCP (standard)	$\nabla$		$\overline{\mathbf{V}}$	$\nabla$
128 Mbps LCP/RCP				
256 Mbps LCP/RCP				
Preferred correlator:				
No preference	$\nabla$		$\overline{\mathbf{A}}$	
Mitaka				
Penticton				
Socorro				
Monitoring programs:				
Number of observations				
Mean interval (days)				
Related VSOP proposal $code(s)$	W071	W071	W071	W071

	Experiment 13	Experiment 14	Experiment 15	Experiment 16
Source name $(Jhhmm \pm ddmm)$	J0741+3112	J0745+1011	J0745-0044	10905 + 4850
Alternative name	0738+313	0742+103	0743-006	0902+490
RA(J2000) (hh mm ss.ssss)	07 41 10.7033	$07 \ 45 \ 33.0595$	$07 \ 45 \ 54.0823$	$09 \ 05 \ 27.4647$
Dec(J2000) (dd mm ss.ssss)	$+31 \ 12 \ 00.229$	$+10 \ 11 \ 12.693$	-00 44 17.538	+48 50 49.958
Observing frequency band (GHz)	5	5	5	5
Continuum observations:				
Standard VSOP freq. channels?	$\nabla$	$\overline{\checkmark}$	$\overline{\checkmark}$	$\checkmark$
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)	50	50	50	50
Min. spectral channels per IF channel	32	32	32	32
Correlator averaging time (sec)				
No. of correlating passes $(if > 1)$				
Total flux density (Jy)	2.45	3.84	1.77	0.529
Correlated flux (mJy)	2140 (8.4 GHz)	2100 (2.3  GHz)	1200	480
Ground Radio Telescopes:				
Suggested array given at Item $(11)$ ?				
GRT observing mode:				
128Mbps LCP (standard)	$\nabla$	$\overline{\mathbf{V}}$	$\nabla$	$\overline{\checkmark}$
128 Mbps LCP/RCP				
$256 Mbps \ LCP/RCP$				
Preferred correlator:				
No preference	$\nabla$	$\overline{\checkmark}$	$\nabla$	$\overline{\checkmark}$
Mitaka				
Penticton		$\Box$		
Socorro				
Monitoring programs:				
Number of observations				
Mean interval (days)				
Related VSOP proposal code(s)	W071	W071	W071	W071

	Experiment 17	Experiment 18	Experiment 19	Experiment 20
Source name $(Jhhmm \pm ddmm)$	J1335+4542	J1335+4542	J1357+4353	J1845+3541
Alternative name	1333 + 459	1333 + 459	1355 + 441	1843 + 356
RA(J2000) (hh mm ss.ssss)	$13 \ 35 \ 21.9604$	$13 \ 35 \ 21.9604$	$13 \ 57 \ 40.6762$	$18 \ 45 \ 35.1097$
Dec(J2000) (dd mm ss.ssss)	+45 42 38.251	+45 42 38.251	+43 53 59.671	$+35 \ 41 \ 16.719$
Observing frequency band (GHz)	1.6	5	5	5
Continuum observations:				
Standard VSOP freq. channels?	$\nabla$	$\overline{\mathbf{V}}$	$\overline{\mathbf{V}}$	$\overline{\checkmark}$
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)	50	50	50	50
Min. spectral channels per IF channel	32	32	32	32
Correlator averaging time (sec)				
No. of correlating passes $(if > 1)$				
Total flux density (Jy)	0.34	0.757	0.577	0.812
Correlated flux (mJy)	330	345	537	173
Ground Radio Telescopes:				
Suggested array given at Item $(11)$ ?				
GRT observing mode:				
128Mbps LCP (standard)		$\nabla$	$\nabla$	$\nabla$
128 Mbps LCP/RCP				
$256 Mbps \ LCP/RCP$				
Preferred correlator:				
No preference		$\nabla$	$\nabla$	$\nabla$
Mitaka				
Penticton				
Socorro				
Monitoring programs:				
Number of observations				
Mean interval (days)				
Related VSOP proposal code(s)	W071	W071	W071	W071

	Experiment 21	Experiment 22	Experiment 23	Experiment 24
Source name $(Jhhmm \pm ddmm)$	J1850+2825	J2052+3635	J2052+3635	J2129-1538
Alternative name	1848+283	2050+364	2050+364	2126-158
RA(J2000) (hh mm ss.ssss)	18 50 27.59	20 52 52.0574	$20\ 52\ 52.0574$	21 29 12.1758
Dec(J2000) (dd mm ss.ssss)	$+28 \ 25 \ 12.7$	$+36 \ 35 \ 35.299$	$+36 \ 35 \ 35.299$	-15 38 41.040
Observing frequency band (GHz)	5	1.6	5	1.6
Continuum observations:				
Standard VSOP freq. channels?	$\overline{\mathbf{A}}$	$\nabla$	$\nabla$	$\overline{\checkmark}$
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)	50	50	50	50
Min. spectral channels per IF channel	32	32	32	32
Correlator averaging time (sec)				
No. of correlating passes $(if > 1)$				
Total flux density (Jy)	0.91	4.84	2.82	0.71
Correlated flux (mJy)	360	3600	220	130 (2.3 GHz)
Ground Radio Telescopes:				
Suggested array given at Item $(11)$ ?				
GRT observing mode:				
128Mbps LCP (standard)	$\nabla$		$\nabla$	$\overline{\checkmark}$
128 Mbps LCP/RCP				
$256 Mbps \ LCP/RCP$				
Preferred correlator:				
No preference	$\nabla$	$\nabla$	$\nabla$	$\nabla$
Mitaka				
Penticton				
Socorro				
Monitoring programs:				
Number of observations				
Mean interval (days)				
Related VSOP proposal code(s)	W071	W071	W071	W071

	Experiment 25	Experiment 26	Experiment 27	Experiment 28
Source name $(Jhhmm \pm ddmm)$	J2129-1538	J2151+0552	J2151+0552	J2340+2641
Alternative name	2126-158	2149 + 056	2149 + 056	2337+264
RA(J2000) (hh mm ss.ssss)	21 29 12.1758	21 51 37.8754	21 51 37.8754	23 40 29.0293
Dec(J2000) (dd mm ss.ssss)	-15 38 41.040	$+05\ 52\ 12.954$	$+05\ 52\ 12.954$	$+26 \ 41 \ 56.803$
Observing frequency band (GHz)	5	1.6	5	5
Continuum observations:				
Standard VSOP freq. channels?	$\overline{\mathbf{A}}$	$\nabla$	$\nabla$	$\overline{\checkmark}$
Channel A range (MHz)				
Channel B range (MHz)				
Spectral line observations:				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)	50	50	50	50
Min. spectral channels per IF channel	32	32	32	32
Correlator averaging time (sec)				
No. of correlating passes $(if > 1)$				
Total flux density (Jy)	1.24	0.81	1.19	0.82
Correlated flux (mJy)	400	520 (2.3 GHz)	400	360 (8.6 GHz)
Ground Radio Telescopes:				
Suggested array given at Item $(11)$ ?				
GRT observing mode:				
128Mbps LCP (standard)	$\nabla$	$\nabla$	$\nabla$	$\overline{\mathbf{A}}$
128 Mbps LCP/RCP				
256 Mbps LCP/RCP				
Preferred correlator:				
No preference	$\nabla$	$\nabla$	$\nabla$	
Mitaka				
Penticton				
Socorro				
Monitoring programs:				
Number of observations				
Mean interval (days)				
Related VSOP proposal code(s)	W071	W071	W071	W071

- - $\nabla$  On (Standard continuum mode),
  - Off (Standard spectral line mode)

(Include justification of any non-standard choice at (11) below)

- (10) Assistance with preparation of ground telescope schedule files:
  ✓ VSOG assistance requested, □ Consultation desired, □ No assistance required
- (11) Additional notes to the scheduler :

We welcome to share the data with other PIs or the VSOP survey working group to reduce the telescope time.

(12) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of figures. Refer to the VSOP Announcement of Opportunity for detailed instructions. Preprints and reprints will not be forwarded to the Scientific Review Committee.

**EITHER** e-mail the completed  $IAT_EX$  file to submit@vsop.isas.ac.jp and send two paper copies of the complete proposal to:

VSOP Observing Proposals VSOP Science Operations Group Institute of Space and Astronautical Science 3-1-1 Yoshinodai, Sagamihara Kanagawa 229-8510 JAPAN

 $\mathbf{OR}$  e-mail the completed  $\mathbb{IAT}_{EX}$  Cover Sheets file and, in a separate e-mail, the postscript file of the scientific and technical justification, to submit@vsop.isas.ac.jp

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

## Proposals must be received at ISAS by 1 October 1999