

VSOP AO4 PROPOSAL COVER SHEETS

DEADLINE : 2 October, 2000

SEND TO : VSOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229-8510, JAPAN

(1) Date prepared : 29 September 2000

(2) Proposal title : Follow-up VSOP observations of two extremely distant quasars

(3)	INVESTIGATORS	INSTITUTION
P.I.	S. Frey	FÖMI SGO, Hungary
co-I.	L.I. Gurvits	JIVE, The Netherlands
co-I.	A.P. Lobanov	MPIfR, Germany
co-I.		
co-I.		
co-I.		
co-I.		
co-I.		
co-I.		

(4) Principal Investigator (or contact person) details...

Name : Sándor Frey
E-mail : frey@sgo.fomi.hu
Fax : +36 27 374982
Phone : +36 27 374980

Address : FÖMI Satellite Geodetic
: Observatory
: P.O. Box 546
: H-1373 Budapest
: Hungary

(5) Proposal Abstract :

Follow-up 5-GHz VSOP observations of two extremely high redshift ($z > 3$) quasars are proposed. First-epoch 5-GHz VSOP observations of 1351-018 ($z = 3.71$) and 1614+051 ($z = 3.22$) showed core-jet structures in these sources on mas and sub-mas scales, which warrant an attempt to detect and measure proper motion on the VSOP angular scale, thus unreachable for the ground-only VLBI observations. By means of the observations proposed here we would like to study these structures with improved imaging sensitivity, and to look for likely structural changes over a period of about 3 years.

(6) Proposal Category (indicate all that apply):

Object type:

☒ AGN, ☐ Maser, ☐ Stellar, ☐ Pulsar, ☐ Other :

Observation type:

☒ Continuum, ☐ Spectral Line, ☐ Polarization, ☐ Time critical,
☐ Phase-reference, ☐ Other :

(7) Number of proposed experiments

An ‘experiment’ is one or more observations of one source at a fixed HALCA set-up. A request to observe the same source at 1.6 GHz and separately at 5 GHz requires two columns to be filled in in item (8) below. A request to observe the same source with HALCA simultaneously observing at 1.6 GHz and 5 GHz requires one column to be filled in. Multi-epoch observations of the same source at the same frequency – a ‘monitoring experiment’ – requires only one column to be filled in. Suggested observing dates, especially for for time-critical and monitoring experiments, should be specified in item (11).

The number of experiments in this proposal is: 2

(8) Details of proposed experiments

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name (<i>Jhhmm±ddmm</i>)	J1354-0206	J1616+0459		
Alternative name	1351-018	1614+051		
RA(J2000) (hh mm ss.ssss)	13 54 06.895	16 16 37.557		
Dec(J2000) (dd mm ss.sss)	-02 06 03.190	+04 59 32.737		
Observing frequency band (GHz)	5	5		
<i>Continuum observations:</i>				
Standard VSOP freq. channels?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Channel A range (MHz)				
Channel B range (MHz)				
<i>Spectral line observations:</i>				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)				
Min. spectral channels per IF channel				
Correlator averaging time (sec)				
No. of correlating passes (if >1)				
Total flux density (Jy)	0.82	0.85		
Correlated flux (mJy)	300	300		
<i>Ground Radio Telescopes:</i>				
Suggested array given at Item (11)?	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>GRT observing mode:</i>				
128Mbps LCP (standard)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
256Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Preferred correlator:</i>				
No preference	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mitaka	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Penticton	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Socorro	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Monitoring programs:</i>				
Number of observations				
Mean interval (days)				
Related VSOP proposal code(s)	v047, w035	v047, w035		

(9) VSOP spacecraft observing mode (see Section 3 and Table 2 of the VSOP Proposer's Guide):

- ☒ 2 channel x 16 MHz, 2-bit (Standard mode),
☐ Other:

Phase calibration tones:

- ☒ On (Standard continuum mode),
☐ Off (Standard spectral line mode)

(Include justification of any non-standard choice at (11) below)

(10) Assistance with preparation of ground telescope schedule files:

- ☐ VSOP assistance requested, ☒ Consultation desired, ☐ No assistance required

(11) Additional notes to the scheduler :

Suggested ground array: EVN + VLBA (or parts of them) + at least one antenna in the Southern hemisphere (HartRAO preferred)

(12) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of figures. Refer to the VSOP Announcement of Opportunity for detailed instructions. Preprints and reprints will not be forwarded to the Scientific Review Committee.

EITHER e-mail the completed L^AT_EX file to submit@vsop.isas.ac.jp and send two paper copies of the complete proposal to:

VSOP Observing Proposals
VSOP Science Operations Group
Institute of Space and Astronautical Science
3-1-1 Yoshinodai, Sagamihara
Kanagawa 229-8510 JAPAN

OR e-mail the completed L^AT_EX Cover Sheets file and, in a separate e-mail, the postscript file of the scientific and technical justification, to submit@vsop.isas.ac.jp

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

Proposals must be received at ISAS by 2 October 2000