

VSOP AO4 PROPOSAL COVER SHEETS

DEADLINE : 2 October, 2000

SEND TO : VSOG, ISAS, 3-1-1 Yoshinodai, Sagamihara, Kanagawa 229-8510, JAPAN

(1) Date prepared : 1. Oct, 2000

(2) Proposal title : The third epoch observation of 3C 84

(3)	INVESTIGATORS	INSTITUTION
P.I.	Asada, K.	NAOJ
co-I.	Kameno, S.	NAOJ
co-I.	Inoue, M.	NAOJ
co-I.	Horiuchi, S.	NAOJ
co-I.	Zhi-Qiang Shen	ISAS
co-I.	Denise. C Gabuzda	JIVE
co-I.		
co-I.		
co-I.		

(4) Principal Investigator (or contact person) details...

Name : Keiichi Asada

E-mail : asada@hotaka.mtk.nao.ac.jp

Fax : +81-422-34-3869

Phone : +81-422-34-3937

Address : VSOP project, Osawa 2-21-1

: Mitaka, Tokyo 181-8588

: Japan

:

:

(5) Proposal Abstract :

3C 84($z=0.018$) is one of the near-by sources among active galactic nuclei (AGNs). We have observed this source twice with VSOP, and once with VLBA. A double ridge structure has been shown by the VSOP observations. We analyzed distribution of spectral indeices and motions on southern jets, and then conclude that this structure must consist of a jet and a back flow. by distribution of spectral indeices and motions on southern jets. To confirm this idea, further monitoring observation is required. The monitoring observation will also allow us to study of acceleration of jets.

(6) Proposal Category (indicate all that apply):

Object type:

☒ AGN, ☐ Maser, ☐ Stellar, ☐ Pulsar, ☐ Other :

Observation type:

☒ Continuum, ☐ Spectral Line, ☐ Polarization, ☐ Time critical,

☐ Phase-reference, ☐ Other :

(7) Number of proposed experiments

An ‘experiment’ is one or more observations of one source at a fixed HALCA set-up. A request to observe the same source at 1.6 GHz and separately at 5 GHz requires two columns to be filled in in item (8) below. A request to observe the same source with HALCA simultaneously observing at 1.6 GHz and 5 GHz requires one column to be filled in. Multi-epoch observations of the same source at the same frequency – a ‘monitoring experiment’ – requires only one column to be filled in. Suggested observing dates, especially for for time-critical and monitoring experiments, should be specified in item (11).

The number of experiments in this proposal is: 1

(8) Details of proposed experiments

	Experiment 1	Experiment 2	Experiment 3	Experiment 4
Source name (<i>Jhhmm±ddmm</i>)	J0319+4130			
Alternative name	3C 84			
RA(J2000) (hh mm ss.ssss)	03 19 48.1600			
Dec(J2000) (dd mm ss.sss)	+41 19 51.840			
Observing frequency band (GHz)	C			
<i>Continuum observations:</i>				
Standard VSOP freq. channels?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Channel A range (MHz)				
Channel B range (MHz)				
<i>Spectral line observations:</i>				
Ch.A spectral line rest freq. (MHz)				
Ch.A LSR velocity (km/s)				
Ch.B spectral line rest freq. (MHz)				
Ch.B LSR velocity (km/s)				
FWHM of field of view required (mas)				
Min. spectral channels per IF channel				
Correlator averaging time (sec)				
No. of correlating passes (if >1)				
Total flux density (Jy)	> 16.0			
Correlated flux (mJy)	1000			
<i>Ground Radio Telescopes:</i>				
Suggested array given at Item (11)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>GRT observing mode:</i>				
128Mbps LCP (standard)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
128Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
256Mbps LCP/RCP	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Preferred correlator:</i>				
No preference	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mitaka	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Penticton	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Socorro	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<i>Monitoring programs:</i>				
Number of observations				
Mean interval (days)				
Related VSOP proposal code(s)	V129, W329			

(9) VSOP spacecraft observing mode (see Section 3 and Table 2 of the VSOP Proposer's Guide):

- ☒ 2 channel x 16 MHz, 2-bit (Standard mode),
☐ Other:

Phase calibration tones:

- ☒ On (Standard continuum mode),
☐ Off (Standard spectral line mode)

(Include justification of any non-standard choice at (11) below)

(10) Assistance with preparation of ground telescope schedule files:

- ☐ VSOP assistance requested, ☒ Consultation desired, ☐ No assistance required

(11) Additional notes to the scheduler :

We require at least one large telescope like phased-VLA or EB to detect certain fringes.

(12) Attach a scientific and technical justification, not in excess of 2 pages of text and 2 pages of figures. Refer to the VSOP Announcement of Opportunity for detailed instructions. Preprints and reprints will not be forwarded to the Scientific Review Committee.

EITHER e-mail the completed L^AT_EX file to submit@vsop.isas.ac.jp and send two paper copies of the complete proposal to:

VSOP Observing Proposals
VSOP Science Operations Group
Institute of Space and Astronautical Science
3-1-1 Yoshinodai, Sagamihara
Kanagawa 229-8510 JAPAN

OR e-mail the completed L^AT_EX Cover Sheets file and, in a separate e-mail, the postscript file of the scientific and technical justification, to submit@vsop.isas.ac.jp

Information from the Cover Sheets of scheduled proposals will be made available from the VSOP WWW site.

Proposals must be received at ISAS by 2 October 2000